

HALE

TRAILER

BRAKE & WHEEL



A022450
VIN: 83692

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

FRAMELESS MVP SS

Model # TRAR32NF720

Weight 13070 lbs. *** **Cubic Yards** 54 **VIN #** 5MADN3232SR083692

BODY

LOAD PROFILE	MATERIAL, 107K GVWR
POLISHED BULKHEAD/RAILS/GATE PERIMETER/DRAFTARMS	
LENGTH	32
WIDTH	96
FLOOR	PANEL FLOOR (NO CROSSMEMBERS)
CROSSMEMBER SPACING	NO CROSSMEMBERS, PANEL STYLE FLOOR
SIDE PLACEMENT	OUTSET SMOOTH SIDE PANEL
FLOOR LINER	NONE
VIBRATOR	NONE
RUBBER SEAL	YES
AIR FAIRINGS	NONE
WALL HEIGHT	72
WALL THICKNESS	ALL HEAVY 1.5" PANELS - .175" WALL
ALL HEAVY 2-1/4" PANELS & REAR POCKETS	
WALL LINER	NONE
TOP RAIL OPTION	SOLID
SOLID	
REAR POCKET SLOPE	2.75
HOIST	9-5-220 - CUSTOM
REMOTE GREASE	REMOTE HOIST GREASE
BULKHEAD	3/16 IN.
HOIST ACCESS ON DOGHOUSE BACK	
BULKHEAD TYPE	RADIUS CORNERS
BULKHEAD DOOR	BULKHEAD DOOR D.S. W/ GRAB HANDLE & STEP
BULKHEAD SLOPE PLATES	YES, 18 IN.
LOWER BULKHEAD WRAP	NO
BULKHEAD STEPS	NONE
SIDES STEPS D.S.	LAST INSIDE & OUTSIDE
SIDES STEPS C.S.	NONE
SHOVEL HANGER	NONE
FRONT FENDERS WITH FLAPS	NONE
ALUMINUM ROLL CAP	NONE

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	4 LARGE-3 LARGE (FULL LIGHT PANEL) OOOO OOO OOOO
APRON	3/8 IN. X 4 IN. LIGHT SHIELD

STD. MARKER LIGHTS	(11) EACH SIDE TOP & BOTTOM
	EVERY OTHER PANEL TOP AND BOTTOM
MID-TURNS	(1) PAIR L.E.D. (COMBO)
	8 SETS OF RED 4" SHINE DOWNS WIRED TO AUX
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	7 WAY (ISO)
BACK-UP LIGHT WIRE	NONE
REAR POCKET LIGHTS	1 PAIR

GATE

GATE SHEET THICKNESS	VERTICAL PANELS
GATE OPERATION	ELECTRIC THRU AUX. & BALL VALVE
HINGE TYPE	O. S. SWING C.S. W/ INPOCKET GROUND CONTROL
	(OLD STYLE)MANUAL GROUND CONTROL
COAL DOOR	NONE
CHUTE	NONE
DOUBLE HANDLE DOOR	NONE
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
HALF ROUND ON GATE	NONE
ANGLE ON TOP OF GATE	NONE
SPREADER CHAINS	NONE
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE & (2) BOTTOM
TARP HOOKS	NONE
GATE LINER	NONE

PRIMARY AXLES

MODEL	TRI-AXLE
NO. OF PRIMARY AXLES	1
SUSPENSION	HEND. INTRAAX AAT-30K DISC BRAKES W/ HXL-5
AXLE SPACING	52
SUB-FRAME	WIDE I-BEAM (17 IN.)
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	DISC BRAKES - HEND. MAXX22T ADI HUB (23,000 LB ONLY)
CAM GUARDS	NONE
HUB AND DRUM	NONE, DISC BRAKES
TIRES	MICHELIN XZE-2 11R 24.5 16 PLY
WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED W/ OUTSIDE ACCU-SHIE LD (XPC)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

LIFT AXLES

NO. OF LIFT AXLES	2
LIFT AXLE SUSPENSION	HEND. INTRAAX AAL 25K - DISC BRAKES W/HXL-5
	AAT
LIFT KIT	HEND. UBL-001 (INTRAAX AAT)
LIFT AXLE DISTANCE	52
LIFT AXLE	AXLE FOR INTRAAX ONLY
LIFT AXLE BRAKES	DISC BRAKES - HEND. MAXX22T ADI HUB (23,000 LB ONLY)
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE, DISC BRAKES
LIFT AXLE TIRES	MICHELIN XZE-2 11R 24.5 16 PLY
LIFT AXLE WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED W/ OUTSIDE ACCU-SHIE LD (XPC)
	ALUMINIUM HP 24.5X8.25 - ALL POLISHED W/ OUTSIDE ACCU - SHIELD (XPC)
LIFT AXLE CONTROLS	ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.)
	OPPERATE SEPERATELY
FREE WHEEL VALVE	YES
LIFT AXLE TIRE INFLATION SYSTEM	NONE

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
------------------------	---

STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

CHASSIS

PIN SETTING	16
5TH WHEEL PLATE	BREAK-AWAY PIN
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	YES
DRAFT ARM	3/8 ALUM
SUSPENSION CONTROL	ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	NONE (DISC BRAKES)
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	YES (DISC BRAKES)
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 LB.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	STAINLESS STEEL
	SUSP DUMP GATE LIFT LIFT
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	30 IN. BUFFED ALUM / 12 IN. RUBBER FULL ACROSS FRONT OF EACH AXLE
	40 INCH WITH CENTER ENCLOSURE WITH RUBBER ON BOTTOM
FLAPS REAR OF TIRES	FULL RUBBER ACROSS REAR OF TRAILER
TOW HOOKS	(2) BOLT ON

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

HANGERS	GALVANIZED
SUSPENSION COLOR	BLACK SOFT COAT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)
PIN STRIPING	BLACK (931716)
MAC MACHINE FINISH LOGOS	BLACK (931716)
OPTIONAL SIGNS	NONE

ACCESSORIES

NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
TOW MOTOR PACKAGE	NONE
COIL RACK ANGLES	NONE
LOAD LEVEL INDICATOR	NONE
3-1/2 IN. ANGLES UNDER RAIL	NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.