

# HALE

## TRAILER

### BRAKE & WHEEL



Resale Inventory  
A022788  
VIN: 042009

#### SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



**800-232-6535** \*FINANCING AVAILABLE

#### Frameless MVP SS

**Weight** 13386 lbs. \*\*\* **Cubic Yards** 54 **Model #** TRAR36NF640-2018 **VIN #** 5MADN3638JC042009

#### BODY

LOAD PROFILE	MATERIAL, 100K GVWR
LENGTH	36
WIDTH	96
FLOOR	1/4 in. FULL
CROSSMEMBER SPACING	10 IN.
SIDE PLACEMENT	INSET SMOOTHSIDE PANEL
FLOOR LINER	NONE
VIBRATOR	NONE
RUBBER SEAL	YES
AIR FAIRINGS	NONE
WALL HEIGHT	64
WALL THICKNESS	3 (67%) - STD. 15-1/2in (33%) - HVY. 15-1/2in
WALL LINER	NONE
TOP RAIL OPTION	SOLID
<b>SOLID</b>	
REAR POCKET SLOPE	2.75
HOIST	9-5-250 (31-32), CUSTOM
REMOTE GREASE	NONE
BULKHEAD	3/16 IN.
INSPECTION COVER ON DOG HOUSE	
BULKHEAD TYPE	RADIUS CORNERS
BULKHEAD DOOR	BULKHEAD DOOR, D.S.
BULKHEAD SLOPE PLATES	YES, 18 IN.
5"	
LOWER BULKHEAD WRAP	NO
BULKHEAD STEPS	NONE
INSTALL GRAB HANDLE ON BULKHEAD DOOR	
SIDES STEPS D.S.	LAST OUTSIDE ONLY
SIDES STEPS C.S.	NONE
SHOVEL HANGER	YES, DRIVERS SIDE
MOUNT ON C/S DOG HOUSE	
FRONT FENDERS WITH FLAPS	6 in. W/FLAPS
ALUMINUM ROLL CAP	NONE

#### LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	4 LARGE-3 SMALL-4 LARGE (FULL LIGHT PANEL) OOOO ooo OOOO
OOOX ooo XOOO	

APRON	3/8 in. X 1-1/2 in. FULL LIGHT SHIELD
STD. MARKER LIGHTS	15 EACH SIDE TOP & BOTTOM
	14 EACH SIDE TOP & BOTTOM. EVERY OTHER COMPLETE PANEL.
MID-TURNS	1 PAIR L.E.D. (NON-COMBO)
	IN DRAFT ARM COVER
BACK-UP LIGHTS	1 PAIR L.E.D. BACK UP LIGHTS
AUXILIARY CABLE	4 WAY
	6 WAY LABELED ACCESORY
BACK-UP LIGHT WIRE	AUXILARY (BLACK WIRE)
	PLEASE LEAVE ENOUGH ROOM FOR AN ELECTRIC TARP PLUG BETWEEN STANDARD 7 WAY PLUGS
REAR POCKET LIGHTS	1 PAIR

## GATE

GATE SHEET THICKNESS	HEAVY VERTICAL PANELS
GATE OPERATION	ELECTRIC THRU 7 WAY AUX. & BALL VALVE
HINGE TYPE	O. S. SWING C.S. W/ GROUND CONTROL
COAL DOOR	NONE
CHUTE	NONE
DOUBLE HANDLE DOOR	NONE
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
HALF ROUND ON GATE	NONE
ANGLE ON TOP OF GATE	YES
SPREADER CHAINS	NONE
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE & (2) BOTTOM
	12" UP FROM BOTTOM ON SIDES
TARP HOOKS	NONE
GATE LINER	NONE

## PRIMARY AXLES

MODEL	TRIAXLE
NO. OF PRIMARY AXLES	1
SUSPENSION	HEND. INTRAAX AA-300 TP W/HXL-5
AXLE SPACING	52
SUB-FRAME	WIDE I-BEAM (17 IN.)
	MAKE SUB FRAME 24" LONGER THAN USUAL
AXLES	AXLE FOR INTRAAX ONLY.
BRAKES	7 IN. XL, W/30-30 CHAMBERS
CAM GUARDS	YES
HUB AND DRUM	CAST W/STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11R 24.5 16 PLY
WHEELS	ALCOA HP 24.5X8.25 10 HOLE 2 BUFFED 2 POL DURA-BRITE EVO
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

## LIFT AXLES

NO. OF LIFT AXLES	2
	PLUMB SEPERATE FOR LIFT ON FRAME AND IN THE CAB.
LIFT AXLE SUSPENSION	HEND. INTRAXX AA300L TP (4) TIRES W/HXL-5
	USE AAT SUSPENSION
LIFT KIT	HEND. UBL-001 (INTRAAX AAT)
LIFT AXLE DISTANCE	52
LIFT AXLE	AXLE FOR INTRAAX ONLY.
LIFT AXLE BRAKES	7 IN. XL, W/30-30 CHAMBERS
LIFT AXLE HUB AND DRUM	CAST W/STEEL HUB HP 10 STUD TP, LS, 7 IN.
LIFT AXLE TIRES	GENERAL RA 11R 24.5 16 PLY
LIFT AXLE WHEELS	ALCOA HP 24.5X8.25 10 HOLE 2 BUFFED 2 POL DURA-BRITE EVO
LIFT AXLE CONTROLS	ELECTRIC DOWN THRU AUX. & BALL VALVE (NO/REG.)
FREE WHEEL VALVE	YES
	FRONT LIFT ONLY
LIFT AXLE TIRE INFLATION SYSTEM	NONE

## STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

## CHASSIS

PIN SETTING	16
5TH WHEEL PLATE	BREAK-AWAY PIN
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	YES
DRAFT ARM	3/8 ALUM
SUSPENSION CONTROL	ELECTRIC THRU 7 WAY AUX. & BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	YES
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	STAINLESS STEEL
AIR TANKS	12 in. ALUMINUM TANK
HYDRAULIC HOSE FITTING	1in. X 108 in. HOSE W/WING FITTING
FLAPS FRONT OF TIRES	30 in. BUFFED ALUM/12 in. RUBBER FULL ACROSS FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	FULL RUBBER ACROSS REAR OF TRAILER
TOW HOOKS	(2) BOLT ON

## TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

## PAINT

HANGERS	GALVANIZED
SUSPENSION COLOR	BLACK PAINT
DOLLIES	BLACK
HOIST COLOR	BLACK
5TH WHEEL PLATE COLOR	BLACK
PIN STRIPING	BLACK
MAC MACHINE FINISH LOGOS	MAC BLACK

SHIP ALL LOGOS LOOSE, DO NOT INSTALL

OPTIONAL SIGNS	NONE
----------------	------

## ACCESSORIES

NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
TOW MOTOR PACKAGE	NONE
COIL RACK ANGLES	NONE
LOAD LEVEL INDICATOR	NONE
3-1/2 IN. ANGLES UNDER RAIL	NONE

### DISCLAIMER

Specifications are for the equipment at the time it was produced and may not accurately reflect its current condition. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.