HALE TRAILER BRAKE & WHEEL

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Jacksonville, FL:	800-828-3055
Baltimore, MD:	888-601-7500	Little Rock, AR:	833-424-8944
Boston, MA:	800-854-5310	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Richmond, VA:	866-839-3495
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235

HaleTrailer.com | @haletrailer

800-232-6535 *FINANCING AVAILABLE

MAC Trailer

Resale Inventory
A023000
VIN: 50043

Frameless MVP SS

Model # TNAR40NF720-2019 VIN # 5MADN4025KC050043

Weight **12967** lbs. *** **Cubic Yards** **71**

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
NOTE: 25,000LB RATING ON VIN PLATE	
LENGTH	40
WIDTH	102
FLOOR	1/4 in. WITH 3/8 in.LAST 10 FT.
CROSSMEMBER SPACING	STD 10 IN.
SIDE PLACEMENT	OUTSET SMOOTHSIDE PANEL
FLOOR LINER	NONE
VIBRATOR	NONE
RUBBER SEAL	YES
AIR FAIRINGS	NONE
WALL HEIGHT	72
WALL THICKNESS	3 (67%) - STD. 15-1/2in (33%) - HVY. 15-1/2in
WALL LINER	NONE
TOP RAIL OPTION	SOLID
SOLID	
REAR POCKET SLOPE	2.75
HOIST	8-5-285 (41-42), CUSTOM
REMOTE GREASE	REMOTE HOIST REAR GREASE
BULKHEAD	3/16 IN.
NO ACCESS HOLE IN BULKHEAD ACESS HOLE TO BE IN BACKSIDE OF DOGHOUSE WITH BOLT ON COVER PLATE	
BULKHEAD TYPE	RADIUS CORNERS
BULKHEAD DOOR	BULKHEAD DOOR, D.S.
BULKHEAD SLOPE PLATES	NONE
LOWER BULKHEAD WRAP	NO
BULKHEAD STEPS	BULKHEAD STEPS INSIDE & OUT (D.S.)
INSTALL FRONT STEPS AND TOP GRAB HANDLES PER VIN# 34872 SHIP ALL INSIDE STEPS LOOSE	
SIDES STEPS D.S.	LAST INSIDE & OUTSIDE
BOTTOM OUTSIDE STEP TO BE PART# 23700105. ALL REAR STEPS SHIP LOOSE. ALL INSIDE STEPS TO BE PART# 23700105 SHIP INSIDE STEPS LOOSE	
SIDES STEPS C.S.	NONE
SHOVEL HANGER	YES, DRIVERS SIDE
NOTE; SHIP LOOSE	
FRONT FENDERS WITH FLAPS	CORNER W/FLAPS
ALUMINUM ROLL CAP	STD. FRONT AND REAR CAP 8 IN. ROLL
ADD (9) 2IN LEDS TO REAR ROLL CAP SPACED EVENLY. ADD (9) 2IN LEDs TO FRONT ROLL CAP SPACED EVENLY.	

LIGHTS

LIGHT TYPE	TRUCKLITE L.E.D. W/ GROMMET
	BOX IN REAR SPLASH GUARDS BEHIND F/A AND INSTALL (3) 4IN LEDS EACH SIDE. TWO OUTER TO BE TURN AND MARKER AND 4 INNER TO BE MARKER AND BRAKE. REAR TO BE WIRED THE SAME
LIGHT PANEL	4 LARGE-3 LARGE-4 LARGE (FULL LIGHT PANEL) OOOO OOO OOOO
APRON	3/8 in. X 6 in. APRON
STD. MARKER LIGHTS	17 EACH SIDE TOP & BOTTOM
	MOUNT SIDE MARKERS IN PANEL ILO BOTTOM RAIL. ADD (28) EXTRA PAIR OF LIGHTS TO EACH SIDE TOP AND BOTTOM - LIGHTS TO BE EVERY PANEL TOP AND BOTTOM.
MID-TURNS	1 PAIR L.E.D. (NON-COMBO)
	NOTE: USE TL #30375Y AND 30375R FOR ALL 2IN LIGHTS
BACK-UP LIGHTS	1 PAIR L.E.D. BACK UP LIGHTS
	USE TRUCKLITE 80220 FOR BACK-UPS. WIRE TO AUX 7-WAY. INSTALL BUs TO OUTSIDE EDGE OF SUBFRAME FILLER PANEL CENTERED IN PANEL.
AUXILIARY CABLE	7 WAY (ISO)
	NOTE: USE TL#30282Y FOR ABS LIGHT
BACK-UP LIGHT WIRE	AUXILARY (BLACK WIRE)
REAR POCKET LIGHTS	1 PAIR

GATE

GATE SHEET THICKNESS	STANDARD VERTICAL PANELS
GATE OPERATION	BALL VALVE (STD.)
HINGE TYPE	O. S. SWING D.S. W/ GROUND CONTROL
COAL DOOR	24 in. ALUM HANDLE
CHUTE	4 in. WELD ON
DOUBLE HANDLE DOOR	NONE
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
HALF ROUND ON GATE	NONE
ANGLE ON TOP OF GATE	NONE
SPREADER CHAINS	NONE
	NOTE; INSTALL CHAIN COVER PLATE AND DONT FORGET THE CHAIN PER VIN 34872
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE & (2) BOTTOM
TARP HOOKS	NONE
GATE LINER	NONE

PRIMARY AXLES

MODEL	SPREAD TANDEM
NO. OF PRIMARY AXLES	1
SUSPENSION	HEND. INTRAAX AA-300 TP W/HXL-5
	NOTE; USE 25,000LB AXLE RATING
AXLE SPACING	122
	RH; 17IN , 18 5/8
SUB-FRAME	WIDE I-BEAM (17 IN.)
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	7 IN. XL, W/30-30 CHAMBERS
CAM GUARDS	YES
HUB AND DRUM	CAST W/DURA L HUB. HP OB 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11R 24.5 16 PLY
WHEELS	ALCOA HP 24.5X8.25 10 HOLE 2 BUFFED 2 POL DURA-BRITE
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

LIFT AXLES

NO. OF LIFT AXLES	1
LIFT AXLE SUSPENSION	HEND. INTRAXX AA300L TP (4) TIRES W/HXL-5
	NOTE; USE 25,000LB AXLE RATING
LIFT KIT	HEND. UBL-002 (INTRAAX AAL)
LIFT AXLE DISTANCE	122
LIFT AXLE	AXLE FOR INTRAAX ONLY
LIFT AXLE BRAKES	7 IN. XL, W/30-30 CHAMBERS
LIFT AXLE HUB AND DRUM	CAST W/DURA L HUB. HP OB 10 STUD TP, LS, 7 IN.
LIFT AXLE TIRES	GENERAL RA 11R 24.5 16 PLY
LIFT AXLE WHEELS	ALCOA HP 24.5X8.25 10 HOLE 2 BUFFED 2 POL DURA-BRITE

LIFT AXLE CONTROLS	ELECTRIC UP THRU 7 WAY AUX. & BALL VALVE (NO/REG.)
NOTE; USE 7WAY BALL VALVE STD	
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	NONE

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE

CHASSIS

PIN SETTING	16
5TH WHEEL PLATE	BREAK-AWAY PIN
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	YES
DRAFT ARM	3/8 ALUM
SUSPENSION CONTROL	ELECTRIC THRU 7 WAY AUX. & BALL VALVE
NOTE; REAR AXLE DUMP ON ELECTRIC ON THE AUX 7WAY. BOTH AXLES DUMP TOGETHER ON BALL VALVE. USE QUICK RELEASE VALVE FOR RIDE BAGS ON R/A	
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	YES
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - 1O YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	POLYMER
POLYMER BOX TO BE LOCATED AHEAD OF R/A ON THE ROADSIDE PER VIN 34872	
AIR TANKS	12 in. ALUMINUM TANK
NOTE; BE SURE TO HAVE TWO ALUM TANKS ON TRAILER ONE PER AXLE.	
HYDRAULIC HOSE FITTING	1in. X 108 in. HOSE W/WING FITTING
FLAPS FRONT OF TIRES	30 in. BUFFED ALUM/12 in. RUBBER FULL ACROSS FRONT OF EACH AXLE
NOTE; TAPER OUTER EDGE OF SPLASH GUARDS 3IN TOP TO 2IN BOTTOM. USE 40IN ALUM W/ 6IN RUBBER AHEAD OF BOTH AXLES AND BEHIND F/A. ALUM FILLER PLATES TO MATCH ALL.	
FLAPS REAR OF TIRES	30 in. BUFFED ALUM./12 in. RUBBER BEHIND FRONT AXLE, FULL ACROSS REAR OF TRAILER
ALUM FILLER PLATE TO MATCH	
TOW HOOKS	NONE

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

HANGERS	GALVANIZED
SUSPENSION COLOR	GALVANIZED HANGERS WITH BLACK SOFT COAT
DOLLIES	BLACK
HOIST COLOR	BLACK
5TH WHEEL PLATE COLOR	BLACK

PIN STRIPING	BLACK
MAC MACHINE FINISH LOGOS	MAC BLACK
	USE STICKER LOGOS ON SIDES AND GATE ONLY OF TRAILER. NO STICKERS OR LOGOS ANYWHERE ELSE ON TRAILER. SHIP ALL ALUM LOGOS AND STICKERS LOOSE.
OPTIONAL SIGNS	NONE

ACCESSORIES

NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
TOW MOTOR PACKAGE	NONE
COIL RACK ANGLES	NONE
LOAD LEVEL INDICATOR	NONE
3-1/2 IN. ANGLES UNDER RAIL	NONE

DISCLAIMER
Specifications are for the equipment at the time it was produced and may not accurately reflect its current condition. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.