

Inflation



Resale Inventory A023579-A023582

VIN: 5A2012, P2554, P2513, P2501

RENTALS PARTS 800-383-8894 Little Rock, AR: 833-424-8944 Baltimore, MD: 888-601-7500 Portland, ME: 800-325-4253 Concord, NC: 800-438-2250 Raleigh, NC 833-418-9777 Delmar, DE: 866-486-1400 Scranton, PA: 800-569-1400 Des Moines, IA: 888-673-5011 Springfield, MA: 800-854-5306 Elkton, MD: 800-544-7127 Voorhees, NJ: 866-315-0235 Jacksonville, FL: 800-828-3055 Walpole, MA: 800-854-5310 haletrailer.com | @haletrailer f 😉

	800-232-6535 *FINANCING AVAILABLE
MAGNITUDE 55L Plus FLD 27 (	Model: MAG55LP**F*827543)
<b>Detailed Specifications</b>	General
SKU	MAG55LP**F*827543
Capacity	55 Tons in 16-foot Length with 125" Swing and 3+1 EQ1; 55 Tons in 10-foot Length with 102" Swing and 4 Axles Close Coupled - GAWR and GVWR Determine Legal Payloads
Length (Trailer Only)	53 feet 3 inches
Width	8 feet 6 inches
Compatibility	Designed to Accept Optional 51/60 Rear Axle, Spreader, and/or 23 inch Flip Box
Accent Package	None
Weight	Est. Configured Weight: 29987# +/- 3%
	Gooseneck
Gooseneck Design	Narrow Hydraulic Removable Non-Ground Bearing - Swing Radius of 102 inches (11ft 11in overall Gooseneck Length) Set Up for Wetline Operation
Loaded Fifth Wheel Height	Dual Cam Pawl Arm Assembly with 7 Ride Height Positions (50 inches Nominal)
Kingpin	Dual Kingpin at 81 inch and 102 inch Radius
Power Source	Set Up for Wet Line Operation REV 1
VIN Plate	Bilingual VIN Plate
Registration/Document Holder	Install Registration/Document Holder
	Deck
Framework	All Main Longitudinal Members Fabricated with 100,000# Minimum Yield Steel Flanges with 50,000# Webs
Deck Design	Flat Level Deck Design
Deck Length	27 feet 0 inches Clear Deck Length
Loaded Deck Height	18 inches with 6 inches Ground Clearance
Crossmembers	On 24 inch Centers (Nominal)
Flooring	2 inch Nominal Wood (Side Rails Only)
Front Ramps	Manual Front Approach Ramps Included
Extension Brackets	13 pair - 26 Total Removable Swing Type, 2 Pair - 4 Total Heavy Duty Removable Hook-On Type
Toolbox	2 Fully Covered Trays in Front of Deck Between Mainbeams with Lockable Covers
Hammer Plate	None
	Rear Bridge: General
Front Bogie Ramp	Included
Boom Trough	V Crossmembers with Bolt-In V Pan
Deck to Bogie Connection	Fixed
Bolsters	Recessed
Covered Rear Bogie	None
Rear Bogie Height	40 7/8 inches to Top Flanges - 36 5/8 inches to Top of Bolsters
Connections for Future Axle Attac	hment   Air and Electrical Connections to Go Along with Connecting Ears
	Rear Bridge: Axles
Number of Axles	3 Axles
Axle Capacity	25,000 lb. Nominal Capacity Per Axle NOTE: GAWR Determined by Suspension Type, Brakes, Tires and Other Components.
Axle Spread	54.5 inches (Between Axles)
Brakes	16.5 inches x 7 inches with 5.5 inches Autoslacks - Heavy Duty Brake Drums - Outboard Mount
Spring Brakes	None
Dust Shield	None
Hubodometer	None
	Rear Bridge: Suspension
Suspension	Air Ride
ABS	None
Third Lift Axle	Air Lift Installed on Third Axle
Chain Lift	Chain Lift On First Axle
Ride Height Control	5-Position Mechanical Ride Height Control System
Manual Dump Valve	Manual Dump Valve (Push Pull)
Liquid Filled Gauge	Liquid Filled Air Gauge Installed
Load Scale	None
	Wheels and Tires
Wheels	8.25 x 22.5 LvL One Buffed Wheels REV 1
Tires	275/70R 22.5 H Ply OEM Standard
Inflation	Tire Inflation System Installed on trailer and ayle

Tire Inflation System Installed on trailer and axle



**Detailed Specifications** 


Lighting		
Electrical System	DOT Sealed Beam and Harness with LED Lights and 4-inch Flush Mounted Battery Powered Amber Strobes	
Tail Lights	3 Tail Light Package	
Electrical Receptacle	J560 7-Pin Connector	
	Paint	
Paint	Special Polyurethane Enamel Matched to Fontaine Paint Brand (Custom Color: International Harvester Red) [Note: Flip Ramps, Rump Up Ramps, V Pan, and Outriggers (If Applicable) Will All Remain Black in Color] F63RL0202 PN 51130416	
Miscellaneous		
Lash Rings	19 Pair - 38 Total	
Flag Holders	2 Pair Flag Holders	
Additional Options		
Flip Box	23 inch Flipbox Order Number P2513 REV 1	
Accent Package Installed on Flip Box	None	
Spreader	EQ1 Single Axle Hydraulic Spreader System Order Number P2502 REV 1	
Flip Axle	Rear Axle 51/60 - LvL One Buffed Wheels w Tire Inflation Order Number P2519 REV 1	
Dust Shields on Flip Axle	None	
Accent Package Installed on Flip Axle	None	
Terms		
Please Note	Price Includes Commodity Surcharges	
Commercial Terms	Ex Works- Springville, AL, USA	
	MAGNITUDE 55L Plus FLD 27	





MAGNITUDE 55L Plus FLD 27 Base Model (Note: Options not shown)







## Sales Drawing: MAGNITUDE 55L Plus FLD 27

