



A026273 VIN: 86223

SALES RENTALS | PARTS SERVICE

Allentown, PA: 800-383-8894 Little Rock, AR: 833-424-8944 800-325-4253 Baltimore, MD: 888-601-7500 Portland, ME: Concord, NC: 800-438-2250 Raleigh, NC 833-418-9777 Delmar, DE: 866-486-1400 Scranton, PA: 800-569-1400 Des Moines, IA: 888-673-5011 Springfield, MA: 800-854-5306 Elkton, MD: 800-544-7127 Voorhees, NJ: 866-315-0235 Jacksonville, FL: 800-828-3055 Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer **f**







800-232-6535

*FINANCING AVAILABLE

FLATBED

Model # TNAR48AA0

9747 lbs. Weight

BODY					
FRAME RAIL MODEL		HEAVY DUTY 26 IN. (60K)			
FRAME RAIL ARCH MODEL		5 IN.			
LOAD PROFILE	Ξ.	MATERIAL, 80K GVWR			
LENGTH		48	48		
WIDTH		102			
NECK STYLE		SQUARE FRONT, 10 IN. NECK, 102 WIDE			
CROSSMEMBE	ER SPACING	18 IN. ON CENTER			
	REFLECTIVE TAPE ON MAIN BEAM EV	ERY OTHER CROSSMEMBER			
BULKHEAD		NONE			
SPOOLS AND I	POCKETS	DOUBLE SPOOLS W/ POCKETS	DOUBLE SPOOLS W/ POCKETS		
NAILERS		2 NAILERS ON OUTSIDE			
NO. OF STUB (CROSSMEMBERS (COIL)	COIL PACKAGE / SIX STUBS			
COIL PLACEME	ENT STRIPE / DECAL	NONE			
(1) FULL WIDTI	H CROSSMEMBER AT REAR (R)	NONE			
REAR FLOOR, LOADING)	THRESHOLD PLATE (REAR	NONE			
OUTRIGGERS	/ TAPERED CROSSMEMBERS	NONE			
SIDE RAIL WIN	ICH TRACK	STD W/ BOLT ON LL TRACK D.S. BAR C.S.			
REAR END ST	YLE	REAR SMOOTH (NARROW BUMPER) (WHEELS BACK ONLY)			
(7) 4" LIGHTS ON BOTTOM OF FILLER PLATE		PLATE TO MATCH INSIDE CLUSTER OF LIGHT PANEL			
REAR STEPS		NONE			
STAINLESS ON REAR END		LIGHT PANEL AND FILLER PLATE			
EXTREME DUTY BUMPER REINFORCEMENTS		NO			
BOLT-ON BUMPER		NO			
DOCK BUMPERS		(2) 8 IN. INSIDE			

LIGHTS	
LIGHT TYPE	TRUCKLITE L.E.D. FLANGE W/ STAINLESS STEEL SECURITY RING
LIGHT PANEL	4 LARGE - 3 LARGE - 4 LARGE 0000 000 0000
4L-7L-4L	
STROBE LIGHTS	NONE

4" BOXED IN AMBER LIGHTS UNDER THE TRAILER (1) PAIR UNDER CENTER OF THE REAR AXLE TIRES, (1) PAIR CENTER OF FRONT AXLE TIRES, ONE IN FRONT OF REAR AXLE CENTER SUSPENSION COVER, ONE IN CENTER OF REAR OF FRONT AXLE SUSPENSION COVER, ONE IN FRONT OF FRONT AXLE CENTER SUSPENSION COVER. STARTING FROM FRONT OF TRAILER (1) PAIR IN VERY FRONT OF TRAILER-THEN EVERY 5 FOOT GOING TO REAR OF TRAILER TO HAVE BOXED IN AMBER LIGHTS. IN CENTER OF THE TRAILER BEHIND SECOND AND THIRD PAIR ONE BOXED IN AMBER LIGHT, ONE INCENTER BETWEEN 3RD&4T H, ONE IN CENTER BETWEEN 4TH&5TH, ONE IN CENTER BETWEEN 5&6TH. SEE PIC

STROBE LIGHT LOCATION	NONE	
STROBE LIGHT CONTROLS	NONE	

STD. MARKER LIGHTS	13 EACH SIDE		
30379Y			
3/4 IN. PENNY LIGHT MARKER LIGHTS	NONE		
MARKER LIGHT LOCATION	STD.		
MID-TURNS	(1) PAIR BOXED (CLOSED)		
WIDE TURN DIRECTIONAL LIGHTS	NONE		
BACK-UP LIGHTS	NONE		
BACK-UP LIGHT LOCATION	NONE		
BACK UP LIGHT CONTROLS	NONE		
AUXILIARY CABLE	7 WAY (ISO)		
REAR AUXILIARY PLUG	NONE		

PRIMARY AXLES	
MODEL	TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	HEND. INTRAAX AAT-25K W/ HXL-5
NO. OF LIFT KITS	1
PRIMARY AXLE LIFT KIT	HEND. UBL-102 (INTRAAX AAT & HT 30K) BOLT ON
SUSPENSION SLIDER	NONE
AXLE SPACING	122
AXLE SETTING	NOTE ALL AXLE SETTINGS
AXLES	AXLE FOR INTRAAX ONLY
LIFT CONTROLS	ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.)
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
BRAKE STROKE INDICATORS	NO
TIRES	GENERAL RA 285/75R 24.5 16 PLY
WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE
AIR TANKS	ALUMINUM TANK
ADDITIONAL AIR TANKS	1
AIR TANK DRAIN COCK WITH CABLE PULL TO D.S.	NO

LIFT AXLES		
NO. OF LIFT AXLES	0	
LIFT AXLE SUSPENSION	NONE	
LIFT KIT	NONE	
LIFT AXLE DISTANCE	N/A	
LIFT AXLE	NONE	
LIFT AXLE BRAKES	NONE	
LIFT AXLE CAM GUARDS	NONE	
LIFT AXLE HUB AND DRUM	NONE	
LIFT AXLE TIRES	NONE	
LIFT AXLE WHEELS	NONE	
LIFT AXLE CONTROLS	NONE	
LIFT AXLE DUAL AIR SYSTEM FOR	NO	
MICHIGAN / CANADA		
LIFT AXLE AIR TANKS	NONE	
ADDITIONAL AIR TANKS	NONE	
LIFT AXLE AIR TANK DRAIN COCK WITH	NO	
CABLE PULL TO D.S.		
LIFT AXLE TIRE INFLATION SYSTEM	NONE	

STEERABLE LIFT AXLES		
NO. OF STEERABLE AXLES	0	
STEERABLE AXLE SUSPENSION	NONE	
STEERABLE AXLE DISTANCE	N/A	
STEERABLE AXLE TIRES	NONE	
STEERABLE AXLE WHEELS	NONE	
STEERABLE AXLE CONTROLS	NONE	

STEERABLE LIFT AXLE DUAL AIR SYSTEM	NO	
STEERABLE AXLE AIR TANKS	NONE	
ADDITIONAL AIR TANKS	NONE	
STEERABLE AXLE AIR DRAIN COCK WITH	NO	

RAME RAILS	MOVED TO BODY			
REFLECTIVE TAPE ON MAIN BEAM EV	ERY OTHER CROSSMEMBER			
RAME RAIL ARCH	MOVED TO BODY			
N SETTING	30			
TH WHEEL PLATE	5/16 IN. GR-50, 3/8 KP			
TH WHEEL PLATE HEIGHT	48 IN. HIGH			
JSPENSION CONTROL	REAR AXLE DUMP VALVE, REQUIRES AUXILIARY PLUG			
BALL VALVE FOR SUSPENSION DUMF				
LADHAND / ELECTRIC CONNECTION DCATION	DOLLIES AND FRONT			
BS FOR TRAILER	(1) 4S2M MERITOR / WABCO			
_ACKS	AUTOMATIC			
XLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE			
UBODOMETER	NONE			
UST COVERS	NONE			
RE CARRIER(S)	NONE			
OLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.			
EGISTRATION HOLDER	NONE			
EGISTRATION HOLDER LOCATION	N/A			
R GAUGE / SYSTEM	YES, IN ENCLOSURE - MUST SELECT ENCLOSURE			
NCLOSURE FOR SWITCHES	STAINLESS STEEL			
TUB FLAPS ON REAR	NONE			
DDITIONAL FLAPS	30 IN. ALUMINUM FLAPS WITH 12 IN. RUBBER REAR OF ALL AXLES			

TARP		
SIDE KIT, SLIDING AND CURTAIN SIDE	NONE	
SYSTEMS		

PAINT		
HANGERS	BLACK SOFT COAT	
SUSPENSION COLOR	BLACK SOFT COAT	
PIN STRIPING	BLACK (931716)	
REFLECTIVE TAPE ON MA	N BEAM EVERY OTHER CROSSMEMBER	
LANDING GEAR COLOR	BLACK (930248)	
MAC MACHINE FINISH LOGOS	BLACK (931716)	

ACCESSORI	ES		
NO. OF TOOLBOXES		2	
TOOL BOX SIZ	E	24X24X60 DOUBLE DOOR	
	MOUNT FLUSH WITH THE GROUND]
TOOL BOX DO	OR TYPE	ALUMINUM	
	SOLID BRACKETS(NO OVAL CUT OUTS]
TOOL BOX HAI	RDWARE	T HANDLE	
TOOL BOX LO	CATION	BETWEEN SPREAD BOTH SIDES	
ROPE HOOKS	(24 IN. SPACING)	NONE	
NO. OF 8 FT. D	UNNAGE HOLDERS	1	
8 FT. DUNNAG	E HOLDER TYPE	STANDARD	
8 FT. DUNNAG	E HOLDER LOCATION	CURB SIDE ONLY	
	BEHING LANDING GEAR]
V-RACK		NONE	
V-RACK LOCATION		NONE	

SIDE TO SIDE BELLY MOUNT DUNNAGE HOLDER	NONE
NO. OF COMBO J HOOK (CHAIN / STRAP) (PAIRS)	NONE
NO. OF BOLT ON CARGO HOOKS	NONE
J-HOOK STORAGE	NONE
CHAIN TIE DOWNS BETWEEN EVERY CROSSMEMBERS	NONE
CHAIN TIE DOWNS BETWEEN EVERY OTHER CROSSMEMBERS	NONE
NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	12
1ST PAIR 2 FROM FRONT THE EVERY	4 TO REAR
NO. OF D-RINGS - RECESSED IN DECK PER PAIR	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING WINCHES	15
5 BEHIND FORWARD AXLE,	
NO. OF GALVANIZED STD. DOUBLE L LOW PRO SLIDING WINCHES	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING LARGE CAP WINCHES	NONE
NO. OF GALVANIZED SIDE MOUNTED FIXED WINCHES	NONE
NO. OF GALVANIZED RECESSED FIXED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SIDE MOUNT WINCHES	NONE
NO. OF GALVANIZED 3 BAR RECESSED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SLIDING WINCHES	NONE
NO. OF GALVANIZED 3 BAR LOW PRO WINCHES	NONE
NO. OF STD. 4 INCH X 30 FT. WINCH STRAPS WITH FLAT HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH CHAIN HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH W/D-RING ENDS	NONE
NO. OF KINDEDYNE STRAP HOOK HOLDERS	NONE
NO. OF ANCRA GLIDELOCK STRAP HOLDERS	NONE
NO. OF MAC LOW PROFILE STRAP RECEIVERS	NONE
NO. OF SLIDING CARGO HOOK	NONE
CONTAINER LOCKS	NONE
NO. OF DECK POCKETS (PER PAIR)	NONE
NO. OF DECK POCKETS WITH POP UPS	NONE
NO. OF LOG POCKETS (PER PAIR)	NONE
NO. OF 1/4 IN. X 3 IN. X 3 IN. X 48 IN.STAKES (PER PAIR)	NONE
NO. OF 1/2 IN. X 3 IN. X 3 IN. X 96 IN. LOG STAKES (PER PAIR)	NONE
FORK LIFT KIT	NONE
MAC STAIRWAY	NONE
WARNING PLACARDS	NONE