

# HALE

## TRAILER

### BRAKE & WHEEL



A026420  
VIN: 85572

#### SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



**800-232-6535** \*FINANCING AVAILABLE

#### STEEL FRAME TYPE 22 RADIUS

Model # TRAR36SS840- VIN # 5MADS3633TC085572

Weight 22172 lbs. \*\*\* Cubic Yards 66

#### BODY

LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	36
WIDTH	96
BODY STYLE	SINGLE PIECE
FLOOR	1/4 IN. FULL
RADIUS BOTTOM	22 in. HARDOX AR450F
CROSSMEMBER TYPE	3-1/2 in. AR450 BOX ON 16 IN. CENTERS
LONGITUDINAL	4 X 4 X 1/4 SQ. TUBE
FLOOR MATERIAL	HARDOX AR450F
BODY HOLD DOWN	NONE
VIBRATOR	NONE
REAR HINGE PIN	DOUBLE DUMP SHOE
WALL HEIGHT	84
TOP RAIL	3/16 IN. X 4 IN. X 6 IN.
TOP RAIL OPTION	3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)

**3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)**

BOLSTER	(1) BOLSTER(s) 84" WH x 96" WIDE
REAR POCKET SLOPE	0
NO. OF INCHES TO EXTEND REAR POCKET	NONE
REAR SKIRTS	ALUMINUM DIAMOND PLATE FULL LENGTH
FRONT SKIRTS	NONE
HOIST	9-5-265 - CUSTOM
REMOTE GREASE	SINGLE POINT REMOTE REAR
BULKHEAD TYPE	FLAT SLOPE NOSE
BULKHEAD LADDER	NONE
BULKHEAD DOOR	BULKHEAD MANDOOR D.S. W/ GRAB HANDLE
SIDES STEPS D.S.	STEEL LADDER AT REAR
SIDES STEPS C.S.	NONE
FOLD DOWN LADDERS D.S.	NONE
FOLD DOWN LADDERS C.S.	NONE
SHOVEL HANGER	NONE
FRONT CAB SHIELD	12 IN. CAB SHIELD
REAR END STYLE	SQUARED-OFF
SIDES	SAME AS FLOOR (SINGLE PIECE)

#### LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE - 3 LARGE - 3 LARGE
APRON	3/8 IN. X 4 IN. FULL LIGHT SHIELD
STD. MARKER LIGHTS	3 EACH SIDE

MID-TURNS	(1) PAIR L.E.D. (COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	7 WAY (ISO)
BACK-UP LIGHT WIRE	NONE
REAR POCKET LIGHTS	PAIR OF SMALL (MODEL 30)

**GATE**

GATE SHEET THICKNESS	3/16 IN. HARDOX AR450F
GATE OPERATION	ELECTRIC THRU AUX. & BALL VALVE
HINGE TYPE	O.S. SIDE SWING C.S. W/ GROUND CONTROL
COAL DOOR	NONE
CHUTE	NONE
DOUBLE HANDLE DOOR	NONE
GATE BRACING	(4) PANEL
HALF ROUND ON GATE	NONE
ANGLE ON TOP OF GATE	YES, 2 IN. X 2 IN. X 1/4 IN.
SPREADER CHAINS	NONE
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE (STEEL GATE)
TARP HOOKS	NONE

**PRIMARY AXLES**

MODEL	TRI-AXLE
NO. OF PRIMARY AXLES	2
SUSPENSION	HEND. INTRAAX AAT-25K W/ HXL-5
AXLE SPACING	52
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11R 24.5 16 PLY
WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE

**LIFT AXLES**

NO. OF LIFT AXLES	1
LIFT AXLE SUSPENSION	HEND. INTRAAX AAL 25K (4) TIRES W/HXL-5
LIFT KIT	HEND. UBL-002 (INTRAAX AAL)
LIFT AXLE DISTANCE	52
LIFT AXLE	AXLE FOR INTRAAX ONLY
LIFT AXLE BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
LIFT AXLE CAM GUARDS	HEND. INTRAAX
LIFT AXLE HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
LIFT AXLE TIRES	GENERAL RA 11R 24.5 16 PLY

2 TIRES-SINGLE TIRE SET UP

LIFT AXLE WHEELS	ALUMINUM HP 24.5X8.25 - ALL POLISHED (XP)
------------------	---

2 WHEELS-SINGLE WHEEL SET UP

LIFT AXLE CONTROLS	ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.)
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	NONE

**STEERABLE LIFT AXLES**

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE LIFT AXLE LUBRICATION	NONE

CHASSIS	
FRAME RAILS	18 IN. X 35# BEAMS
RUBBER ON FRAME RAILS	3/8 IN. RUBBER
NO. OF INCHES FOR GOOSENECK	7
LID FOR GOOSENECK	FIXED
PIN SETTING	18
5TH WHEEL PLATE	3/8
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
KING PIN	.375 KING PIN
NO. OF INCHES FOR REAR OVERHANG	7
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	NO
STIFFENER PLATE	NONE
HOIST & MOUNT STYLE	DOUBLE 3 IN. X 6 IN. X 3/8 IN.
SUSPENSION CONTROL	ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST A450 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	SHORT FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	FULL ACROSS REAR OF TRAILER
TOW / PINTLE HOOKS	NONE
BUMPER	NONE

TARP	
TARP MANUFACTURER	AERO EASY COVER FLIP TARP - MESH
TARP CONTROL	ELECTRIC
TARP COLOR	BLACK
BOW HOLDERS	STANDARD
TARP BRACKET	TARP CENTER BRACKET FOR FRONT TO BACK FLIP TARP

PAINT	
HANGERS	OTHER (NON GALVANIZED)
SUSPENSION COLOR	CUSTOM COLOR
	FORD GLACIER GREY
DOLLIES	CUSTOM COLOR
	FORD GLACIER GREY
HOIST COLOR	CUSTOM COLOR
	FORD GLACIER GREY
5TH WHEEL PLATE COLOR	CUSTOM COLOR
	FORD GLACIER GREY
FRAME COLOR	CUSTOM COLOR
	FORD GLACIER GREY
BODY COLOR	CUSTOM COLOR
	FORD GLACIER GREY
MAC LOGOS	MAC DECALS BLACK
OPTIONAL SIGNS	NONE

ACCESSORIES	
LOAD LEVEL INDICATOR	NONE

#### DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.