



A026699 VIN: 86833

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: Little Rock, AR: 833-424-8944 800-383-8894 Baltimore, MD: 888-601-7500 Portland, ME: 800-325-4253 Concord, NC: Raleigh, NC 833-418-9777 800-438-2250 Delmar, DE: 866-486-1400 Scranton, PA: 800-569-1400 Des Moines, IA: Springfield, MA: 888-673-5011 800-854-5306 Elkton, MD: 800-544-7127 Voorhees, NJ: 866-315-0235

Jacksonville, FL: 800-828-3055 Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer f 쭞 🛅 🎯 🔠

800-232-6535 *F

*FINANCING AVAILABLE

MOVINGFLOOR SP COMPACTOR

Model # TNSP45FR960 VIN # 5MAMN4524TW086833

Weight 18116 lbs. *** Cubic Yards 98

LOAD PROFILE	MATERIAL, 80K GVWR
	MATERIAL, 60K GVWK
REF J85895	
LENGTH	45
WIDTH	96
DRIVE UNIT	KEITH, 23 SLAT - 3 IN. CYLINDERS
FLOOR	KEITH 2299 (2218), 1/2 IN. TRIPLE RIDGE (96 W)
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
CROSSMEMBER TYPE	HEAVY-FULL TRAILER LENGTH 14 IN. C/M SPACING
CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 14 O.C.
RUBBER SEAL	YES
WALL HEIGHT	96
WALL THICKNESS	0.19
1/4 IN. WALL LAST 15 FT.	0.25 LAST 15 FT.
WALL LINER	3/16 LAST 10 FT.
TAPERED SIDE	NONE
FULL LID	ALUM FULL LID
TOP RAIL OPTION	6 IN. W X 9 IN. T X 5/8 IN.
6 IN. W X 9 IN. T X	5/8 IN.
NO. OF UPRIGHTS	19
NO. OF UPRIGHTS TO ADD OR SU	BTRACT 0
HORIZONTAL BRACING	YES
TARP BAR	NONE
BULKHEAD	1/4 IN W/ BULKHEAD BRACING
BULKHEAD STEPS	NONE
FRONT FENDERS WITH FLAPS	NONE
BOTTOM RAIL	SQUARE, NO CLEAN OUT
COMPACTOR COMPATIBLE	SIDE LATCH COMPATIBLE
HEIL PIN SIZE	NONE
UPPER CROSS TUBES / CAPS	NONE, FULL LID ONLY
TIRE CARRIER	NONE

LIGHTS	
LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (IN TAILGATE) OOO 000 OOO
APRON	NONE
STD. MARKER LIGHTS	(3) EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	NONE
REAR POCKET LIGHTS	1 PAIR

GATE	
GATE SHEET THICKNESS	SMOOTH SIDE PANELS
GATE OPERATION	MECHANICAL SIDE LATCH
HINGE TYPE	DOUBLE DOOR COMPACTOR COMPATIBLE
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
SAFETY CHAIN	YES
WINDERS / SAFETY LATCH	WINDERS (1) SIDE ONLY
GATE STEPS	UP CENTER OF GATE OUTSIDE ONLY
TARP HOOKS	NONE

PRIMARY AXLES	
MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	MAC FABBED GALVANIZED SINGLE LEAF TAN. (49)
AXLE SPACING	49
SUB-FRAME	TANDEM, HI-TENSILE FAB. (SPRING RIDE ONLY)
AXLES	71.5 IN., HEND. 5/8 IN. WALL TP W/ 25K
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11 R 22.5 16 PLY
WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS

LIFT AXLES		
NO. OF LIFT AXLES	0	
LIFT AXLE SUSPENSION	NONE	
LIFT KIT	NONE	
LIFT AXLE DISTANCE	N/A	
LIFT AXLE	NONE	
LIFT AXLE BRAKES	NONE	
LIFT AXLE CAM GUARDS	NONE	
LIFT AXLE HUB AND DRUM	NONE	
LIFT AXLE TIRES	NONE	
LIFT AXLE WHEELS	NONE	
LIFT AXLE CONTROLS	NONE	
FREE WHEEL VALVE	NONE	
LIFT AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS	

STEERABLE LIFT AXLES	
NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE LIFT KIT	NONE

CHASSIS	
PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	NONE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE

HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST H451 - (62,500 LB.) - 10 YEAR NO LUBE - GALVANIZED STEEL - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	NONE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
BUMPER	MOVER BUMPER

TARP		
TARP MANUFACTURER	NONE	
TARP CONTROL	NONE	
TARP COLOR	NONE	
BOW HOLDERS	NONE	
TARP BRACKET	NONE	

PAINT		
SUSPENSION COLOR	BLACK SOFT COAT	
PIN STRIPING	BLACK (931716)	
MAC MACHINE FINISH LOGOS	BLACK (931716)	
OPTIONAL SIGNS	NONE	