

HALE

TRAILER

BRAKE & WHEEL



A026763
VIN: 087274

SALES | RENTALS | PARTS | SERVICE

| | | | |
|-------------------|--------------|------------------|--------------|
| Allentown, PA: | 800-383-8894 | Little Rock, AR: | 833-424-8944 |
| Baltimore, MD: | 888-601-7500 | Portland, ME: | 800-325-4253 |
| Concord, NC: | 800-438-2250 | Raleigh, NC: | 833-418-9777 |
| Delmar, DE: | 866-486-1400 | Scranton, PA: | 800-569-1400 |
| Des Moines, IA: | 888-673-5011 | Springfield, MA: | 800-854-5306 |
| Elkton, MD: | 800-544-7127 | Voorhees, NJ: | 866-315-0235 |
| Jacksonville, FL: | 800-828-3055 | Walpole, MA: | 800-854-5310 |

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

STEEL FRAME TYPE 22 RADIUS

Model # TNAR34AA660

VIN # 5MADA3429TC087274

Weight 16966 lbs. *** **Cubic Yards** 49

BODY

| | |
|---|---|
| LOAD PROFILE | MATERIAL, 80K GVWR |
| LENGTH | 34 |
| WIDTH | 96 |
| BODY STYLE | SINGLE PIECE |
| FLOOR | 1/4 IN. FULL |
| RADIUS BOTTOM | 22 in. HARDOX AR450F |
| CROSSMEMBER TYPE | 3-1/2 in. AR450 BOX ON 16 IN. CENTERS |
| LONGITUDINAL | 4 X 4 X 1/4 SQ. TUBE |
| FLOOR MATERIAL | HARDOX AR450F |
| BODY HOLD DOWN | NONE |
| VIBRATOR | NONE |
| REAR HINGE PIN | STANDARD SINGLE DUMP SHOE |
| WALL HEIGHT | 66 |
| TOP RAIL | 1/4 IN. X 4 IN. X 6 IN. |
| TOP RAIL OPTION | 3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) |
| 3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT) | |
| BOLSTER | NONE |
| REAR POCKET SLOPE | 0 |
| NO. OF INCHES TO EXTEND REAR POCKET | NONE |
| REAR SKIRTS | ALUMINUM DIAMOND PLATE OVER SUSPENSION |
| FRONT SKIRTS | ALUMINUM DIAMOND PLATE OVER TANDEM DRIVE SUSPENSION |
| HOIST | 8-5-265 - CUSTOM |
| REMOTE GREASE | SINGLE POINT REMOTE REAR |
| BULKHEAD TYPE | FLAT SLOPE NOSE |
| BULKHEAD LADDER | FIXED STEEL BULKHEAD LADDER D.S. |
| BULKHEAD DOOR | NONE |
| SIDES STEPS D.S. | STEEL LADDER AT REAR |
| SIDES STEPS C.S. | NONE |
| FOLD DOWN LADDERS D.S. | NONE |
| FOLD DOWN LADDERS C.S. | NONE |
| SHOVEL HANGER | YES, CURB SIDE |
| FRONT CAB SHIELD | NONE |
| REAR END STYLE | SQUARED-OFF |
| SIDES | SAME AS FLOOR (SINGLE PIECE) |

LIGHTS

| | |
|-------------|-----------------------------------|
| LIGHT TYPE | GROTE L.E.D. W/ GROMMET |
| LIGHT PANEL | 3 LARGE - 3 SMALL - 3 LARGE |
| APRON | 3/8 IN. X 4 IN. FULL LIGHT SHIELD |

| | |
|--------------------|--------------------------|
| STD. MARKER LIGHTS | 5 EACH SIDE |
| MID-TURNS | (1) PAIR L.E.D. (COMBO) |
| BACK-UP LIGHTS | NONE |
| AUXILIARY CABLE | 7 WAY |
| BACK-UP LIGHT WIRE | NONE |
| REAR POCKET LIGHTS | PAIR OF SMALL (MODEL 30) |

GATE

| | |
|------------------------|--|
| GATE SHEET THICKNESS | ALUMINUM SS GATE |
| GATE OPERATION | AIR CAB CONTROL AND BALL VALVE |
| HINGE TYPE | O.S. SIDE SWING C.S. W/ GROUND CONTROL |
| COAL DOOR | NONE |
| CHUTE | NONE |
| DOUBLE HANDLE DOOR | NONE |
| GATE BRACING | NONE |
| HALF ROUND ON GATE | NONE |
| ANGLE ON TOP OF GATE | YES, 2 IN. X 2 IN. X 1/4 IN. |
| SPREADER CHAINS | NONE |
| WINDERS / SAFETY LATCH | WINDERS (1) EACH SIDE |
| TARP HOOKS | NONE |

PRIMARY AXLES

| | |
|------------------------------------|---|
| MODEL | TANDEM |
| NO. OF PRIMARY AXLES | 2 |
| SUSPENSION | HEND. INTRAAX AAT-30K W/ HXL-5 |
| | 25K RATED |
| AXLE SPACING | 52 |
| AXLES | AXLE FOR INTRAAX ONLY |
| BRAKES | 7 IN. XL, W/ 30-30 CHAMBERS |
| CAM GUARDS | HEND. INTRAAX |
| HUB AND DRUM | CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN. |
| TIRES | GENERAL RA 11R 24.5 16 PLY |
| WHEELS | A & S HP 24.5X8.25 - INSIDE STEEL, OUTSIDE POLISHED (XP) |
| PRIMARY AXLE TIRE INFLATION SYSTEM | NONE |
| | X-MEMBER ONLY FOR FUTURE 3RD AXLE HT250 - DISTANCE- 103" FROM REAR AXLE |

LIFT AXLES

| | |
|---------------------------------|------|
| NO. OF LIFT AXLES | 0 |
| LIFT AXLE SUSPENSION | NONE |
| LIFT KIT | NONE |
| LIFT AXLE DISTANCE | N/A |
| LIFT AXLE | NONE |
| LIFT AXLE BRAKES | NONE |
| LIFT AXLE CAM GUARDS | NONE |
| LIFT AXLE HUB AND DRUM | NONE |
| LIFT AXLE TIRES | NONE |
| LIFT AXLE WHEELS | NONE |
| LIFT AXLE CONTROLS | NONE |
| FREE WHEEL VALVE | NONE |
| LIFT AXLE TIRE INFLATION SYSTEM | NONE |

STEERABLE LIFT AXLES

| | |
|------------------------------|------|
| NO. OF STEERABLE AXLES | 0 |
| STEERABLE AXLE SUSPENSION | NONE |
| STEERABLE AXLE DISTANCE | N/A |
| STEERABLE AXLES | NONE |
| STEERABLE AXLE BRAKES | NONE |
| STEERABLE AXLE HUB AND DRUMS | NONE |
| STEERABLE AXLE TIRES | NONE |
| STEERABLE AXLE WHEELS | NONE |
| STEERABLE AXLE CONTROLS | NONE |

STEERABLE LIFT AXLE LUBRICATION

NONE

CHASSIS

| | |
|---------------------------------------|---|
| FRAME RAILS | 17 IN. ALUMINUM BEAMS |
| RUBBER ON FRAME RAILS | 3/8 IN. RUBBER |
| NO. OF INCHES FOR GOOSENECK | NO GOOSENECK, 9.25 I.O. IN. HEIGHT |
| LID FOR GOOSENECK | NONE |
| PIN SETTING | 18 |
| 5TH WHEEL PLATE | 3/8 |
| 5TH WHEEL PLATE HEIGHT | 49 IN. HIGH |
| KING PIN | .375 KING PIN |
| NO. OF INCHES FOR REAR OVERHANG | 7 |
| TRACTOR DRIVE MODEL | TANDEM DRIVE |
| GALVANIZED SUSPENSION HANGERS | YES |
| STIFFENER PLATE | NONE |
| HOIST & MOUNT STYLE | 3 IN. X 6 IN. X 3/8 IN. |
| SUSPENSION CONTROL | ELECTRIC THRU AUX. & BALL VALVE |
| ABS FOR TRAILER | (1) 2S1M MERITOR / WABCO |
| SLACKS | AUTOMATIC |
| AXLE LUBRICATION | HXL, SYNTHETIC SEMI-FLUID GREASE |
| HUBODOMETER | NONE |
| DUST COVERS | NONE |
| TIRE CARRIER(S) | (1) CURB SIDE |
| DOLLIES - LANDING GEAR - LANDING LEGS | JOST A450 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - D.S. |
| REGISTRATION HOLDER | NONE |
| AIR GAUGE / SYSTEM | NONE |
| ENCLOSURE FOR SWITCHES | NONE |
| AIR TANKS | ALUMINUM TANK |
| HYDRAULIC HOSE FITTING | 1 IN. X 108 IN. HOSE W/ WING FITTING |
| FLAPS FRONT OF TIRES | SHORT FLAP IN FRONT OF FRONT AXLE |
| FLAPS REAR OF TIRES | FULL ACROSS REAR OF TRAILER |
| TOW / PINTLE HOOKS | NONE |
| BUMPER | NONE |

TARP

| | |
|-------------------|------|
| TARP MANUFACTURER | NONE |
| TARP CONTROL | NONE |
| TARP COLOR | NONE |
| BOW HOLDERS | NONE |
| TARP BRACKET | NONE |

PAINT

| | |
|-----------------------|------------------|
| HANGERS | GALVANIZED |
| SUSPENSION COLOR | BLACK SOFT COAT |
| DOLLIES | BLACK (931716) |
| HOIST COLOR | GRAY |
| 5TH WHEEL PLATE COLOR | GRAY |
| FRAME COLOR | NONE |
| BODY COLOR | GRAY |
| MAC LOGOS | MAC DECALS BLACK |
| OPTIONAL SIGNS | NONE |

ACCESSORIES

| | |
|----------------------|------|
| LOAD LEVEL INDICATOR | NONE |
|----------------------|------|

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.