

HALE

TRAILER

BRAKE & WHEEL



A027647
VIN: Z9256

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

**TK120HDG Advantage Plus Hydraulic Detachable 120,000 Lbs 14218-120HDG AdvPlus_New

14218-Base

Item #	Category	Description	Weight (lbs)	Qty
14218	Open Deck	**TK120HDG Advantage Plus Hydraulic Detachable 120,000 Lbs in 16 feet		

14218-General

Item #	Category	Description	Weight (lbs)	Qty
10027	Overall Width	102" deck width		
08024	Paint	S7203 Black with white decals		
17866	Paint	Zinc-rich Primer		
18508	Paint	Red & white conspicuity markings		

14218-Gooseneck

Item #	Category	Description	Weight (lbs)	Qty
14219	Gooseneck	12' 11" gooseneck length (16" and 40" KP setting with 110" and 86" swing)		
18513	Gooseneck	Gooseneck arched for increased truck fender clearance		
10007	Gooseneck	PTO Hydraulics		
14223	Gooseneck	7-position gooseneck height adjustment +3"/-7" (N/A on paver style)		
14553	Gooseneck	Hydraulic gooseneck support arm		
14554	Gooseneck	Air-activated, positive self-locking pin		
14555	Fifth Wheel /	50" 5th wheel height		

17443	Gooseneck	Trailer setup for hydraulic flip axle. Valve to be in GN and hydraulic lines run to wheel area
14224	Gooseneck	1 pr straight d-rings on rear flange of gooseneck riser section

14218-Deck

Item #	Category	Description	Weight (lbs)	Qty
14236	Deck Length	Conc. in 16' - 25' 9" deck length (tandem axle booster reinforcement)		
10017	Deck Length	24" loaded deck height, 8" ground clearance		
10031	Deck Width	Drop side deck (24" inner beam height, 15" outer beam height) 6" g.c. - Deletes 31" loading ramps, front pull-out outrigger, triangle cut-outs, 10" cross members, and adds double-wide flat back at front. Adds oval holes for tie downs on inner main beams.		
14632	Main Deck	I-beam crossmembers on 24" centers		
14633	Main Deck	4" stubs between crossmembers in outer bays for 12" centers in outer bays		
14634	Main Deck	Triangle cut-outs on deck beams and bolster		
14635	Main Deck	Knuckle trough at rear of deck - 72" long, covered with 1/4" steel		
14250	Decking	1 3/4 Apitong decking (raised)		
14257	Outriggers / Side Extensions	Swingout outriggers, with pullout HD outrigger at front, double swingouts at center, and 4' storage pan		
14639	Outriggers /	Outrigger Planks Loose		
14252	Ramps	Front ramps (31" std deck, 42" tapered deck, N/A on rail deck & drop side deck)		
14314	Tie Downs	14 bent-style D-rings on deck		
11373	Deck - Misc	Top flange reinforcement		
14261	Deck - Misc	2 pr bent d-rings in knuckle trough		
14256	Deck - Misc	Spring assist option for front ramps		

14218-Wheel Area

Item #	Category	Description	Weight (lbs)	Qty
10037	Wheel Area	Fixed wheel area - includes front half bolster		
10038	Wheel Area	No wheel covers		
14636	Wheel Area	Full depth open boom trough with lowered crossmembers between axles in wheel area		
14280	Wheel Area	10ga. Steel boom plates bolted in boom trough		
14638	Wheel Area	Brackets, air and electrical for additional axles		

14292	Axle Spacing	Conc. in 16' - 55" axle spacing (single axle booster reinforcement)
14765	Miscellaneous	Wide load sign brackets
17738	Tie Downs	2 straight D-rings mounted at rear of WA on top flange
14759	Flaps, Mud	Mudflaps
11197	Wheel Area -	Add upper brackets for hydraulic booster
14262	Wheel Area - Misc	2 pr bent d-rings in wheel area transition (East Coast style WA only)
14263	Wheel Area - Misc	1 pr straight d-rings located above each crossmember in wheel area (East Coast style WA only)

14218-Suspension

Item #	Category	Description	Weight (lbs)	Qty
14284	Suspensions / Axles	Air suspension control panel in end of bolster ahead of rear axle		
14285	Suspensions /	27,000-lb. (3/4" wall) axles (per complete axle)		3
14641	Suspensions /	3rd axle air lift with dual ride height control		
14642	Suspensions / Axles	Raising/lowering air control panel (includes liquid filled air gauge)		
14672	Suspensions /	Air ride suspension		
14757	Suspensions /	Wheel end lube type - Oil		
10055	Brakes	No ABS		
14135	Brakes	16 1/2" x 7" Air Drum Brakes with automatic slack adjusters (for 22.5 wheels)		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		
12849	Wheels	8.25 x 22.5 10-hole steel disc wheel		6
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(180)	6
10058	Spare Wheel	No Spare Wheel		
07913	Tires	Continental 275/70R22.5 HSR2 - 18 ply		12
10059	Spare Tires	No Spare Tire		

14218-Electrical

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights /	Grote LED Lights		
18726	Lights /	Grote sealed electrical harness system		
17498	Lights / Electrical	Oval penny side marker lights w/ single mid-turn and (3) oval penny ID lights at rear of wheel area		

15768	Lights / Electrical	3rd tail light package plus additional 4" round quad flash amber strobes at rear with switch
18231	Lights / Electrical	Center cluster lights with dual intensity adaptor - standard brightness with marker lights, brighter intensity with brake lights
14649	Lights /	7-pole electrical connector
10064	Lights / Electrical	Remote flasher w/ battery back-up with switch mounted on drivers side rear bolster
10062	Lights /	4-pole socket wired to clearance light
10066	Lights /	Stainless inserts around lights in tail channel

14218-Miscellaneous

Item #	Category	Description	Weight (lbs)	Qty
14650	Flagholders	Flag holders, front of deck and rear of trailer		

**TKFA1 Flip Axle 10988-TKFA1_New

10988-Base

Item #	Category	Description	Weight (lbs)	Qty
10988	Open Deck	**TKFA1 Flip Axle		

10988-General

Item #	Category	Description	Weight (lbs)	Qty
10991	Overall Width	102" overall width		
17866	Paint	Zinc-rich Primer		
08024	Paint	S7203 Black with white decals		
18508	Paint	Red & white conspicuity markings		
15772	Flagholders	Flag Holders		

10988-Wheel Area

Item #	Category	Description	Weight (lbs)	Qty
17714	Beam Depth	For correct beam depth, specify the Serial # of the corresponding trailer.		
10995	Position	Rear flip axle		
10997	Flip Axle Styles	Open wheels with load bearing tail channel		

11004	Upper Bracket Style	No Upper Links (Links are not required on Hyd controlled flip - includes standard round lower pins)
14671	Tie Downs	(2) D-rings on rear channel
14759	Flaps, Mud	Mudflaps
14765	Miscellaneous	Wide load sign brackets
17437	Wheel Area - Misc	Hydraulic controlled flip (Requires hydraulic option in trailer)(Not available with aluminum package)

10988-Suspension

Item #	Category	Description	Weight (lbs)	Qty
18812	Suspensions / Axles	Air Ride Suspension - no ride height control or dump valve		
11006	Suspensions /	25,000 lb. (5/8" wall) axle with chain ups		
14757	Suspensions /	Wheel end lube type - Oil		
10989	Axle Spacing	55" axle spacing		
14135	Brakes	16 1/2" x 7" Air Drum Brakes with automatic slack adjusters (for 22.5 wheels)		
18506	Brakes	No ABS		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		
12849	Wheels	8.25 x 22.5 10-hole steel disc wheel		2
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(60)	2
16221	Tires	Continental 275/70R22.5 HSR2 - 18 ply (tire only) (per tire) ILO Std Continental 255/70R22.5		4

10988-Electrical

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights /	Grote LED Lights		
18726	Lights /	Grote sealed electrical harness system		
15765	Lights / Electrical	Side marker lights and (3) ID lights on tail channel. Light type to match all trailer components		
15768	Lights / Electrical	3rd tail light package plus additional 4" round quad flash amber strobes at rear with switch		
18230	Lights /	Center cluster lights illuminated with marker lights		
14167	Lights / Electrical	4-pole electrical socket at rear wired to clearance light		
14173	Lights /	Stainless inserts around lights in tail channel		

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.

Equipment availability, prices and specifications are subject to change without notice.