

# HALE

## TRAILER

### BRAKE & WHEEL



A028810  
TEMP VIN: S027738

#### SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



**800-232-6535** \*FINANCING AVAILABLE

#### STEEL FRAME TYPE 22 RADIUS

**Weight** 19077 lbs. \*\*\* **Cubic Yards** 49

#### BODY

LOAD PROFILE	MATERIAL, 80K GVWR
ref 87255	
LENGTH	34
WIDTH	96
BODY STYLE	SINGLE PIECE
FLOOR	1/4 IN. FULL
RADIUS BOTTOM	22 in. HARDOX AR450F
CROSSMEMBER TYPE	3-1/2 in. AR450 BOX ON 16 IN. CENTERS
LONGITUDINAL	4 X 4 X 1/4 SQ. TUBE
FLOOR MATERIAL	HARDOX AR450F
BODY HOLD DOWN	NONE
VIBRATOR	NONE
REAR HINGE PIN	STANDARD SINGLE DUMP SHOE
WALL HEIGHT	66
TOP RAIL	1/4 IN. X 4 IN. X 6 IN.
TOP RAIL OPTION	3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)
3 X 3 X 3/8 ANGLE (ADD 2 1/4 IN. TO WALL HEIGHT)	
BOLSTER	NONE
REAR POCKET SLOPE	0
NO. OF INCHES TO EXTEND REAR POCKET	NONE
REAR SKIRTS	ALUMINUM DIAMOND PLATE OVER SUSPENSION
FRONT SKIRTS	ALUMINUM DIAMOND PLATE OVER TANDEM DRIVE SUSPENSION
HOIST	8-5-265 - CUSTOM
REMOTE GREASE	SINGLE POINT REMOTE REAR
BULKHEAD TYPE	FLAT SLOPE NOSE
BULKHEAD LADDER	FIXED STEEL BULKHEAD LADDER D.S.
BULKHEAD DOOR	NONE
SIDES STEPS D.S.	STEEL LADDERS AT FRONT AND REAR W/ ANGLE STEPS INSIDE
SIDES STEPS C.S.	NONE
FOLD DOWN LADDERS D.S.	NONE
FOLD DOWN LADDERS C.S.	NONE
SHOVEL HANGER	YES, CURB SIDE
FRONT CAB SHIELD	12 IN. CAB SHIELD
REAR END STYLE	SQUARED-OFF
SIDES	SAME AS FLOOR (SINGLE PIECE)

#### LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE - 3 SMALL - 3 LARGE
APRON	3/8 IN. X 4 IN. FULL LIGHT SHIELD
STD. MARKER LIGHTS	5 EACH SIDE

MID-TURNS	(1) PAIR L.E.D. (COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	7 WAY
BACK-UP LIGHT WIRE	NONE
REAR POCKET LIGHTS	PAIR OF SMALL (MODEL 30)

**GATE**

GATE SHEET THICKNESS	3/16 IN. HARDOX AR450F
GATE OPERATION	AIR CAB CONTROL AND BALL VALVE
HINGE TYPE	O.S. SIDE SWING C.S. W/ GROUND CONTROL
COAL DOOR	NONE
CHUTE	NONE
DOUBLE HANDLE DOOR	NONE
GATE BRACING	NONE
HALF ROUND ON GATE	NONE
ANGLE ON TOP OF GATE	YES, 2 IN. X 2 IN. X 1/4 IN.
SPREADER CHAINS	NONE
WINDERS / SAFETY LATCH	WINDERS (1) EACH SIDE
TARP HOOKS	NONE

**PRIMARY AXLES**

MODEL	TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	WATSON 60,000 SINGLE POINT - (PP SERIES)
	25K RATED
AXLE SPACING	52
AXLES	71.5 IN., 5/8 IN. WALL TP W/ 25K
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11R 24.5 16 PLY
WHEELS	A & S HP 24.5X8.25 - INSIDE STEEL, OUTSIDE POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE
	X-MEMBER ONLY FOR FUTURE 3RD AXLE HT250 - DISTANCE- 103" FROM REAR AXLE

**LIFT AXLES**

NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	NONE

**STEERABLE LIFT AXLES**

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE LIFT AXLE LUBRICATION	NONE

CHASSIS	
FRAME RAILS	16 IN. X 31# BEAMS
RUBBER ON FRAME RAILS	3/8 IN. RUBBER
NO. OF INCHES FOR GOOSENECK	NO GOOSENECK, 9.25 I.O. IN. HEIGHT
LID FOR GOOSENECK	NONE
PIN SETTING	18
5TH WHEEL PLATE	3/8
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
KING PIN	.375 KING PIN
NO. OF INCHES FOR REAR OVERHANG	7
TRACTOR DRIVE MODEL	TANDEM DRIVE
GALVANIZED SUSPENSION HANGERS	NO
STIFFENER PLATE	NONE
HOIST & MOUNT STYLE	3 IN. X 6 IN. X 3/8 IN.
SUSPENSION CONTROL	NONE
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	OIL
HUBODOMETER	NONE
DUST COVERS	NONE
TIRE CARRIER(S)	(1) CURB SIDE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST A450 - (62,500 LB.) - 10 YEAR NO LUBE - STEEL - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	SHORT FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	FULL ACROSS REAR OF TRAILER
TOW / PINTLE HOOKS	NONE
BUMPER	NONE

TARP	
TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT	
HANGERS	OTHER (NON GALVANIZED)
SUSPENSION COLOR	BLACK PAINT
DOLLIES	BLACK (931716)
HOIST COLOR	BLACK (931716)
5TH WHEEL PLATE COLOR	BLACK (931716)
FRAME COLOR	BLACK (930248)
BODY COLOR	GRAY
	GUN METAL GRAY
MAC LOGOS	MAC DECALS BLACK
OPTIONAL SIGNS	NONE

ACCESSORIES	
LOAD LEVEL INDICATOR	NONE

#### DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.  
Equipment availability, prices and specifications are subject to change without notice.