

HALE

TRAILER

BRAKE & WHEEL



A028964
VIN: 090014

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

MOVINGFLOOR MVP SS

Model # TNAR53FR900-2026

Weight 19017 lbs. *** **Cubic Yards** 104

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	53
WIDTH	102
DRIVE UNIT	KEITH, 25 SLAT 3 IN. CYLINDERS
REMOTE FLOOR OPERATION.(FLOOR TO WORK OFF 30 CORD)	
FLOOR	KEITH 2299 (2218), 1/2 IN. TRIPLE RIDGE (102 W)
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
CROSSMEMBER TYPE	STANDARD
CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 14 O.C.
RUBBER SEAL	YES
WALL HEIGHT	90
80"	
TAPERED SIDES	NONE
WALL LINER	NONE
FULL LID	NONE
TOP RAIL OPTION	HEAVY 2-1/4 IN. VERT. PANEL TOP RAIL
HEAVY 2-1/4 IN. VERT. PANEL TOP RAIL	
TOP RAIL OVERLAY CAP	NONE
TARP BAR	NONE
BULKHEAD	3/16 IN. W/ DOOR
BULKHEAD STEPS	OUTSIDE ONLY (D.S.)
FRONT FENDERS WITH FLAPS	NONE
TAPER SIDE FENDERWELLS	NONE
POCKET TYPE	2-1/4IN STANDARD POCKETS
BOTTOM RAIL	SQUARE, NO CLEAN OUT
UPPER CROSS TUBES / CAPS	(1) SPRING-MID & (1) TUBE-REAR
ONLY 1-TUBE REAR, TO SWING TO SLIDE OUT OF THE WAY OF THE LOAD.	
TIRE CARRIER	NONE
SIDES	2-1/4 X 15-1/2 VERT. PANELS - (BUFFED)

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (IN TAILGATE) OOO ooo OOO
APRON	NONE
STD. MARKER LIGHTS	(9) EACH SIDE
TOP & BOTTOM EACH SIDE. TOP LIGHTS TO BE BELOW TARP.	
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)
(2) WORK LIGHTS ON EACH SIDE OF LANDING LEGS POINTING BACKWARDS AT 45 DEGREE	

BACK-UP LIGHTS	(1) PAIR I.C. BACK UP LIGHTS
WORK LIGHTS WIRED TO AUX	
AUXILIARY CABLE	7 WAY (ISO)
REAR POCKET LIGHTS	1 PAIR

GATE

GATE SHEET THICKNESS	SMOOTH SIDE PANELS
GATE OPERATION	MECHANICAL SIDE LATCH
HINGE TYPE	C.S. SIDE SWING
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
SAFETY CHAIN	YES
WINDERS / SAFETY LATCH	WINDERS (1) SIDE ONLY
GATE STEPS	UP CENTER OF GATE OUTSIDE ONLY
TARP HOOKS	BULKHEAD AND GATE

PRIMARY AXLES

MODEL	SPREAD TANDEM
KING PIN TO REAR AXLE 43 FT	
NO. OF PRIMARY AXLES	1
SUSPENSION	HEND. INTRAAX AAT-25K W/ HXL-5
AXLE SPACING	122
(2) -18" X 18" X 60" TOOL BOXES-DOUBLE DOOR W/CAM LOCKS ON BOTH SIDES BETWEEN SPREAD.	
SUB-FRAME	TRI-AXLE (ALUM. T-BEAM)
AXLES	AXLE FOR INTRAAX ONLY
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 295/75R 22.5 16 PLY
WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
ALCOA BUFFED INSIDE/POLISHED OUTSIDE	
PRIMARY AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS

LIFT AXLES

NO. OF LIFT AXLES	1
LIFT AXLE SUSPENSION	HEND. INTRAAX AAL 25K (4) TIRES W/HXL-5
LIFT KIT	HEND. UBL-002 (INTRAAX AAL)
LIFT AXLE DISTANCE	122
LIFT AXLE	AXLE FOR INTRAAX ONLY
LIFT AXLE BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
LIFT AXLE CAM GUARDS	HEND. INTRAAX
LIFT AXLE HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
LIFT AXLE TIRES	GENERAL RA 295/75R 22.5 16 PLY
LIFT AXLE WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
ALCOA BUFFED INSIDE/POLISHED OUTSIDE	
LIFT AXLE CONTROLS	ELECTRIC UP THRU AUX. & BALL VALVE (NO / REG.)
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE LIFT KIT	NONE

CHASSIS

PIN SETTING	36
5TH WHEEL PLATE	3/8 LOW PROFILE
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
GALVANIZED SUSPENSION HANGERS	INCLUDED W/ SUSPENSION
SUSPENSION CONTROL	ELECTRIC THRU AUX. & BALL VALVE
ABS FOR TRAILER	(1) 2S1M MERITOR / WABCO
SLACKS	AUTOMATIC
TIRE INFLATION SYSTEM	NONE
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST H451 - (62,500 LB.) - 10 YEAR NO LUBE - GALVANIZED STEEL - D.S.
REGISTRATION HOLDER	NONE
AIR GAUGE / SYSTEM	YES, IN FRONT
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	FLAP IN FRONT OF EACH AXLE
FLAPS REAR OF TIRES	FLAP BEHIND EACH AXLE
	FULL ACROSS REAR
BUMPER	D.O.T. BUMPER

TARP

TARP MANUFACTURER	NONE
TARP CONTROL	NONE
TARP COLOR	NONE
BOW HOLDERS	NONE
TARP BRACKET	NONE

PAINT

SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (931716)
MAC MACHINE FINISH LOGOS	BLACK (931716)
OPTIONAL SIGNS	NONE

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.