



A030041 VIN: 085615

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894 Little Rock, AR: 833-424-8944 Baltimore, MD: 888-601-7500 Portland, ME: 800-325-4253 Concord, NC: 800-438-2250 Raleigh, NC 833-418-9777 Delmar, DE: Scranton, PA: 866-486-1400 800-569-1400 Des Moines, IA: Springfield, MA: 800-854-5306 888-673-5011 Elkton, MD: 800-544-7127 Voorhees, NJ: 866-315-0235 Jacksonville, FL: 800-828-3055 Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer (f) (c) (m) (c) (e) 800-232-6535 *FINANCING AVAILABLE

MOVINGFLOOR SP

Model # TNSP48FR1000 **Weight** 17205 lbs. *** **Cubic Yards** 116

LOAD PROFILE MATERIAL, 80K GWWR LENGTH 48 WIDTH 102 DRIVE UNIT KEITH, 24 SLAT-3 IN CYLINDER FLOOR KEITH 2299 (2218), 1/2 IN. TRIPLE RIDGE (102 W) HYDRAULIC PIPE STANDARD CROSSMEMBER TYPE STANDARD CROSSMEMBER SPACING 5-1/4 IN. HBEAMS, 14 O.C. RUBBER SEAL YES WALL HEIGHT 100 WALL HEIGHT NONE WALL LAST 15 FT. NONE WALL LINER NONE TAPERED SIDE NONE FOUL LID NONE TOUR PRILL OFTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE FOUL LID NONE TOO, OF UPRIGHTS TO ADD OR SUBTRACT 0 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 BULKHEAD STEPS YES, SINGLE BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE BOTTOM RAIL CLEAN-OUT LUPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR TIPE CARRIER NONE <th>BODY</th> <th></th>	BODY	
WIDTH 102 DRIVE UNIT KEITH, 24 SLAT-3 IN CYLINDER FLOOR KEITH 2299 (2218), 1/2 IN. TRIPLE RIDGE (102 W) HYDRAULIC PIPE STANLESS STEEL HYDRAULIC PIPE CROSSMEMBER TYPE STANDARD CROSSMEMBER SPACING 5-1/4 IN. HBEAMS, 14 O.C. RUBBER SEAL YES WALL HEIGHT 100 WALL HEIGHT 100 WALL LAST 15 FT. NONE WALL LINER NONE TAPERED SIDE NONE TOP PRILOPTION NONE TOP PRILOPTION HEAVY 6 IN. W.X 9 IN. T.X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE BROTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	LOAD PROFILE	MATERIAL, 80K GVWR
DRIVE UNIT KEITH, 24 SLAT- 3 IN CYLINDER FLOOR KEITH 2299 (2218), 1/2 IN. TRIPLE RIDGE (102 W) HYDRAULIC PIPE STAINLESS STEEL HYDRAULIC PIPE CROSSMEMBER TYPE STAINLESS STEEL HYDRAULIC PIPE CROSSMEMBER SPACING 5-1/4 IN. HBEAMS, 14 O.C. RUBBER SEAL YES WALL HEIGHT 100 WALL HICKNESS 0.19 1/4 IN. WALL LAST 15 FT. NONE WALL LINER NONE TAPERED SIDE NONE TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE ILEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE ILEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE HORIZONTAL BRACING NONE 10 OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	LENGTH	48
FLOOR KEITH 2299 (2218), 1/2 IN. TRIPLE RIDGE (102 W) HYDRAULIC PIPE STANDARD CROSSMEMBER TYPE STANDARD CROSSMEMBER SPACING 5-1/4 IN. I-BEAMS, 14 O.C. RUBBER SPACING 5-1/4 IN. I-BEAMS, 14 O.C. WALL HEIGHT 100 WALL THICKNESS 0.19 1/4 IN. WALL LAST 15 FT. NONE WALL LINER NONE WALL LINER NONE FULL LID NONE TOP PRILO PTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE TOP OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	WIDTH	102
HYDRAULIC PIPE STAINLESS STEEL HYDRAULIC PIPE CROSSMEMBER TYPE STANDARD CROSSMEMBER SPACING 5-1/4 IN. I-BEAMS, 14 O.C. RUBBER SEAL YES WALL HEIGHT 100 WALL THICKNESS 0.19 1/4 IN. WALL LAST 15 FT. NONE WALL LINER NONE TAPERED SIDE NONE FULL LID NONE FULL LID NONE TAPERED SIDE NONE FULL LID NONE INEATY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 0.0D OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	DRIVE UNIT	KEITH, 24 SLAT- 3 IN CYLINDER
CROSSMEMBER TYPE STANDARD CROSSMEMBER SPACING 5-1/4 IN. I-BEAMS, 14 O.C. RUBBER SEAL YES WALL HEIGHT 100 WALL THICKNESS 0.19 I/4 IN. WALL LAST 15 FT. NONE WALL LINER NONE TAPERED SIDE NONE FULL LID NONE TOP ARIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	FLOOR	KEITH 2299 (2218), 1/2 IN. TRIPLE RIDGE (102 W)
CROSSMEMBER SPACING 5-1/4 IN. I-BEAMS, 14 O.C. RUBBER SEAL YES WALL HEIGHT 100 WALL THICKNESS 0.19 1/4 IN. WALL LAST 15 FT. NONE WALL LINER NONE WALL LINER NONE FULL LID NONE TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE ILEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE IN. O. OF UPRIGHTS NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
RUBBER SEAL YES WALL HEIGHT 100 WALL THICKNESS 0.19 1/4 IN. WALL LAST 15 FT. NONE WALL LINER NONE TAPERED SIDE NONE FULL LID NONE TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	CROSSMEMBER TYPE	STANDARD
WALL HEIGHT 100 WALL THICKNESS 0.19 1/4 IN. WALL LAST 15 FT. NONE WALL LINER NONE TAPERED SIDE NONE FULL LID NONE TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 14 O.C.
WALL THICKNESS 0.19 1/4 IN. WALL LAST 15 FT. NONE WALL LINER NONE TAPERED SIDE NONE FULL LID NONE TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE ILLEAYY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	RUBBER SEAL	YES
1/4 IN. WALL LAST 15 FT. NONE WALL LINER NONE TAPERED SIDE NONE FULL LID NONE TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE ILLEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	WALL HEIGHT	100
WALL LINER NONE TAPERED SIDE NONE FULL LID NONE TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS NO. OF UPRIGHTS TO ADD OR SUBTRACT HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD SULKHEAD CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	WALL THICKNESS	0.19
TAPERED SIDE NONE FULL LID NONE TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	1/4 IN. WALL LAST 15 FT.	NONE
FULL LID NONE TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	WALL LINER	NONE
TOP RAIL OPTION HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	TAPERED SIDE	NONE
NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	FULL LID	NONE
NO. OF UPRIGHTS 20 NO. OF UPRIGHTS TO ADD OR SUBTRACT 0 HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	TOP RAIL OPTION	HEAVY 6 IN. W X 9 IN. T X 3/4 IN. TOP AND 1/2 IN. FACE
NO. OF UPRIGHTS TO ADD OR SUBTRACT HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	HEAVY 6 IN. W X 9 IN. T X 3/4 IN	I. TOP AND 1/2 IN. FACE
HORIZONTAL BRACING NONE TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	NO. OF UPRIGHTS	20
TARP BAR YES, SINGLE BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	NO. OF UPRIGHTS TO ADD OR SUBTRACT	0
BULKHEAD 3/16 IN. BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	HORIZONTAL BRACING	NONE
BULKHEAD STEPS CATWALK & LADDER W/ STEPS INSIDE FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	TARP BAR	YES, SINGLE
FRONT FENDERS WITH FLAPS NONE BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	BULKHEAD	3/16 IN.
BOTTOM RAIL CLEAN-OUT UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	BULKHEAD STEPS	CATWALK & LADDER W/ STEPS INSIDE
UPPER CROSS TUBES / CAPS (1) SPRING-MID & (1) TUBE-REAR	FRONT FENDERS WITH FLAPS	NONE
	BOTTOM RAIL	CLEAN-OUT
TIRE CARRIER NONE	UPPER CROSS TUBES / CAPS	(1) SPRING-MID & (1) TUBE-REAR
	TIRE CARRIER	NONE

LIGHTS	
LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (IN TAILGATE) OOO 000 OOO
APRON	NONE
STD. MARKER LIGHTS	(3) EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)
BACK-UP LIGHTS	NONE
AUXILIARY CABLE	NONE
REAR POCKET LIGHTS	1 PAIR

I SIDE PANELS	

GATE OPERATION	MECHANICAL SIDE LATCH
HINGE TYPE	C.S. SIDE SWING
GATE BRACING	NO BRACING (SMOOTH SIDE PANELS)
SAFETY CHAIN	YES
WINDERS / SAFETY LATCH	WINDERS (1) SIDE ONLY
GATE STEPS	UP CENTER OF GATE OUTSIDE ONLY
TARP HOOKS	BULKHEAD AND GATE

PRIMARY AXLES	
MODEL	CLOSED TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	MAC FABBED GALVANIZED SINGLE LEAF TAN. (49)
AXLE SPACING	49
SUB-FRAME	TANDEM, HI-TENSILE FAB. (SPRING RIDE ONLY)
AXLES	77.5 IN., HEND. 5/8 IN. WALL TP W/ 25K
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	NONE
HUB AND DRUM	CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
TIRES	GENERAL RA 11 R 22.5 16 PLY
WHEELS	STEEL HP 22.5X8.25 - WHITE POWDER COATED
PRIMARY AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS

LIFT AXLES	
NO. OF LIFT AXLES	0
LIFT AXLE SUSPENSION	NONE
LIFT KIT	NONE
LIFT AXLE DISTANCE	N/A
LIFT AXLE	NONE
LIFT AXLE BRAKES	NONE
LIFT AXLE CAM GUARDS	NONE
LIFT AXLE HUB AND DRUM	NONE
LIFT AXLE TIRES	NONE
LIFT AXLE WHEELS	NONE
LIFT AXLE CONTROLS	NONE
FREE WHEEL VALVE	NONE
LIFT AXLE TIRE INFLATION SYSTEM	MOVED TO CHASSIS

STEERABLE LIFT AXLES	
NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLES	NONE
STEERABLE AXLE BRAKES	NONE
STEERABLE AXLE HUB AND DRUMS	NONE
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE LIFT KIT	NONE

36
3/8 LOW PROFILE
49 IN. HIGH
INCLUDED W/ SUSPENSION
NONE
(1) 2S1M MERITOR / WABCO
AUTOMATIC
NONE
HXL, SYNTHETIC SEMI-FLUID GREASE
NONE
NONE

DOLLIES - LANDING GEAR - LANDING LEGS	JOST H451 - (62,500 LB.) - 10 YEAR NO LUBE - GALVANIZED STEEL - D.S.
REGISTRATION HOLDER	BETTS PS-1 W/ SIGHT GLASS (ROUND HOLDER)
AIR GAUGE / SYSTEM	NONE
ENCLOSURE FOR SWITCHES	NONE
AIR TANKS	ALUMINUM TANK
HYDRAULIC HOSE FITTING	1 IN. X 108 IN. HOSE W/ WING FITTING
FLAPS FRONT OF TIRES	FLAP IN FRONT OF FRONT AXLE
FLAPS REAR OF TIRES	FLAP BEHIND REAR AXLE
BUMPER	MOVER BUMPER

TARP		
TARP MANUFACTURER	NONE	
aero force mesh electric	side roll trap system	
TARP CONTROL	NONE	
TARP COLOR	NONE	
BOW HOLDERS	NONE	
TARP BRACKET	NONE	

PAINT		
SUSPENSION COLOR	BLACK SOFT COAT	
PIN STRIPING	BLACK (931716)	
MAC MACHINE FINISH LOGOS	BLACK (931716)	
OPTIONAL SIGNS	NONE	