



A030825
VIN: 5A1890

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894 Little Rock, AR: 833-424-8944
Baltimore, MD: 888-601-7500 Portland, ME: 800-325-4253
Concord, NC: 800-438-2250 Raleigh, NC: 833-418-9777
Delmar, DE: 866-486-1400 Scranton, PA: 800-569-1400
Des Moines, IA: 888-673-5011 Springfield, MA: 800-854-5306
Elkton, MD: 800-544-7127 Voorhees, NJ: 866-315-0235
Jacksonville, FL: 800-828-3055 Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

MAGNITUDE 55MX (Model: MAG55HMXTXT829543)

Detailed Specifications		General	
SKU	MAG55HMXTXT829543		
Capacity	55 Tons in 16-foot (Closed Position) Length with 4 Axles Close Coupled Or Single Axle Stinger; GAWR and GVWR Determine Legal Payloads		
Length (Trailer Only)	55 feet 4 inches		
Width	8 feet 6 inches		
Compatibility	Designed to Accept Optional 51/60 Rear Axle, EQ1 Spreader, and/or 23 inch Flip Box		
Accent Package	None		
Weight	Est. Configured Weight: 28915# +/- 3%		
Gooseneck			
Gooseneck Design	Narrow Hydraulic Removable Non-Ground Bearing - Swing Radius of 102 inches (11ft 11in overall Gooseneck Length) Set Up for Wetline Operation		
Loaded Fifth Wheel Height	Dual Cam Pawl Arm Assembly with 7 Ride Height Positions (50 inches Nominal)		
Kingpin	Removable Kingpin at 102 inch Radius		
Power Source	13 HP (Min) Gasoline Powered Auxiliary Power Unit		
VIN Plate	Bilingual VIN Plate		
Registration/Document Holder	Install Registration/Document Holder		
Deck			
Framework	All Main Longitudinal Members Fabricated with 100,000# Minimum Yield Steel Flanges with 50,000# Webs		
Deck Design	Flat Level Telescopic Deck Design		
Deck Length	29 feet 4 inches Clear Deck Length (Closed); 50 feet 4 inches (Open)		
Loaded Deck Height	20 inches with 6 inches Ground Clearance		
Crossmembers	Crossmember Spacing Outboard Mainbeams 12 in c/c (Nominal)		
Flooring	2 inch Nominal Wood		
Front Ramps	None, Front of Deck Sloped Top Down to Assist in Loading with Traction Cleats		
Extension Brackets	14 pair - 28 Total Removable Swing Type, 2 Pair - 4 Total Heavy Duty Removable Hook-On Type		
Toolbox	1 Fully Covered Tray in Rear of Deck Between Mainbeams with Lockable Cover		
Rear Bridge: General			
Front Bogie Ramp	Included		
Boom Trough	V Crossmembers with Bolt-In V Pan		
Deck to Bogie Connection	Modular		
Bolsters	Recessed Load Bearing Between All Axles and Rear of Last Axle		
Covered Rear Bogie	Weld-On Load Bearing Wheel Covers		
Rear Bogie Height	40 7/8 inches to Top Flanges - 36 5/8 inches to Top of Bolsters		
Connections for Future Axle Attachment	Air and Electrical Connections to Go Along with Connecting Ears		
Rear Bridge: Axles			
Number of Axles	3 Axles		
Axle Capacity	25,000 lb. Nominal Capacity Per Axle NOTE: GAWR Determined by Suspension Type, Brakes, Tires and Other Components.		
Axle Spread	54.5 inches (Between Axles)		
Brakes	16.5 inches x 7 inches with 5.5 inches Autoslacks - Heavy Duty Brake Drums - Outboard Mount		
Spring Brakes	None		
Dust Shield	None		
Hubodometer	None		
Rear Bridge: Suspension			
Suspension	Air Ride		
ABS	None		
Third Lift Axle	Air Lift Installed on Third Axle		
Chain Lift	Chain Lift On First Axle		
Ride Height Control	5-Position Mechanical Ride Height Control System		
Manual Dump Valve	Manual Dump Valve (Push Pull)		
Liquid Filled Gauge	None		
Load Scale	None		
Wheels and Tires			
Wheels	8.25 x 22.5 Steel Disc - Hub-Piloted		
Tires	275/70R 22.5 H Ply OEM Standard		
Inflation	None		

Detailed Specifications

Lighting	
Electrical System	DOT Sealed Beam and Harness with LED Lights and 4-inch Flush Mounted Battery Powered Amber Strobes
Tail Lights	3 Tail Light Package
Marker Lights	3 Marker Lights Per Side Including Mid-Turn
Electrical Receptacle	J560 7-Pin Connector
Paint	
Paint	Fontaine Black Polyurethane Enamel
Miscellaneous	
Lash Rings	12 Pair - 24 Total
Flag Holders	2 Pair Flag Holders
Additional Options	
Flip Box	None
Accent Package Installed on Flip Box	None
Spreader	None
Accent Package Installed on Rigid Spreader	None
Flip Axle	None
Dust Shields on Flip Axle	None
Accent Package Installed on Flip Axle	None
Terms	
Please Note	Price Includes Commodity Surcharges
Commercial Terms	Ex Works- Springville, AL, USA




MAGNITUDE 55MX



[MAGNITUDE 55MX Base Model](#) (Note: Options not shown)

DISCLAIMER

Specifications are for the equipment at the time it was produced and may not accurately reflect its current condition. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.




FONTAINE HEAVY-HAUL
SPRINGVILLE, AL

MAGNITUDE 55MX 54


8401



FLIPBOX	GOOSENECK	DECK EXTENDABLE	BOGIE	EQ1	OAL
23"	11'-11"	29'-4" CLOSED 50'-4" OPEN	(54.5") 14'-1"	(54.5") 14'-1"	71'-4" CLOSED 92'-4" OPEN
23"	11'-11"	29'-4" CLOSED 50'-4" OPEN	(60") 15'-0"	(60") 14'-7"	72'-9" CLOSED 93'-9" OPEN



FLIPBOX	GOOSENECK	DECK EXTENDABLE	BOGIE	FLIP AXLE	OAL
23"	11'-11"	29'-4" CLOSED 50'-4" OPEN	(54.5") 14'-1"	54.5"	61'-9 1/2" CLOSED 82'-9 1/2" OPEN
23"	11'-11"	29'-4" CLOSED 50'-4" OPEN	(60") 15'-0"	60"	63'-2" CLOSED 84'-2" OPEN



THIS DRAWING AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF FONTAINE HEAVY-HAUL. IT IS TO BE USED FOR THE PURPOSES SPECIFIED ONLY. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF FONTAINE HEAVY-HAUL.