

HALE

TRAILER

BRAKE & WHEEL



A031940

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

DROP DECK

Weight **11736 lbs.** *** Cubic Yards **0**

BODY

FRAME RAIL MODEL	27" BEAM WITH 2 1/2 INCH ARCH
LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	53
WIDTH	102
NECK STYLE	SQUARE FRONT
UPPER DECK LENGTH	11 FT.
UPPER DECK CROSSMEMBER SPACING	18 IN. NOMINAL SPACING
SPOOLS AND POCKETS	DOUBLE SPOOLS W/ POCKETS
NAILERS	2 NAILERS ON OUTSIDE
LOWER DECK CROSSMEMBER SPACING	16 IN. ON CENTER
ADD TOOL BOX IN NECK-(REF#45858)	
OUTER PERIMETER SUPPORTS	KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED)
ADD TUBULAR X-MEMBERS WHERE TOOL BOXES ARE LOCATED	
SIDE RAIL WINCH TRACK	DBL. ENTRY T.D. OUT AND CENTER, BOLT ON LL TRACK D.S. BAR C.S.
REAR END STYLE	REAR SMOOTH
REAR SMOOTH (NARROW BUMPER) (WHEELS BACK ONLY)	
STAINLESS ON REAR END	LIGHT PANEL AND FILLER PLATE
EXTREME DUTY BUMPER	NO
REINFORCEMENTS	
DOCK BUMPERS	(2) 16 IN. OUTSIDE

LIGHTS

LIGHT TYPE	TRUCKLITE / SIGNAL STAT L.E.D. CLEAR LENS W/ STAINLESS STEEL SECURITY RING
LIGHT PANEL	4 LARGE - 3 LARGE - 4 LARGE 0000 000 0000
4L-7L-4L WITH MATCHING -- 7L IN LOWER FILLER PANEL	
STROBE LIGHTS	YES, AMBER
STROBE LIGHT LOCATION	IN FILLER PANEL
CENTERED TOP TO BOTTOM (BUT ALONG THE VERTICALS)	
STROBE LIGHT CONTROLS	WIRE TO AUXILIARY
WIRED TO CENTER PIN OF AUX	
STD. MARKER LIGHTS	15 EACH SIDE
MARKER LIGHT LOCATION	STD.
MID-TURNS	(1) PAIR BOXED (CLOSED)
AUXILIARY CABLE	7 WAY (ISO)

PRIMARY AXLES

MODEL	TRI-AXLE
NO. OF PRIMARY AXLES	3

SUSPENSION	HEND. INTRAAX AANL 23K (250 BAGS) TP W/HXL-5
NO. OF LIFT KITS	1
PRIMARY AXLE LIFT KIT	HEND. UBL-005GV (INTRAAX AANL) BOLT-ON INCLUDES FREE WHEEL VALVE & ATLAS VALVE
	NO YAK VALVE
AXLE SPACING	61
	66 INCH SPACING
AXLE SETTING	NOTE ALL AXLE SETTINGS
	ALL THE WAY TO THE REAR-(NOT LEGAL AS A 53 FT TRL IN LOTS OF STATES-OWNER ACKNOWLEDGES)
AXLES	AXLE FOR INTRAAX ONLY
LIFT CONTROLS	HALDEX ILAS-3
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
TIRES	GENERAL HT + 255/70R 22.5 16PLY
WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
	ALCOA WHEELS - DURA BRITE-EVO ON OUTERS

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
------------------------	---

CHASSIS

FRAME RAILS	MOVED TO BODY
PIN SETTING	18
5TH WHEEL PLATE TYPE	GALVANIZED
	ADD GLADHAND / ELECTRIC CONNECTIONS @ NOSE & AS CLOSE AS POSSIBLE BEHIND COUPLER PLATE-(SEE PIC)
5TH WHEEL PLATE	5/16 IN. GR-50, 3/8 KP
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
DECK HEIGHT AT REAR (SLIDING AXLE ADD 1 IN. TO HEIGHT)	41 IN. 22.5 TIRES
SUSPENSION CONTROL	REAR AXLE DUMP VALVE, REQUIRES AUXILIARY PLUG
GLADHAND / ELECTRIC CONNECTION LOCATION	FRONT ONLY
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
DUST COVERS	NONE (NOT AVAILABLE FOR 17.5 TIRES)
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.
AIR TANKS	ALUMINUM TANK
AIR TANK DRAIN COCK WITH CABLE PULL TO D.S.	NO
ADDITIONAL FLAPS	(3 AXLES GROUPS) FRONT AND REAR OF ALL (6 SETS)
	WITH H.D. RUBBER FLAPS

PAINT

HANGERS	GALVANIZED
SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (931716)
LANDING GEAR COLOR	BLACK (930248)
MAC MACHINE FINISH LOGOS	BLACK (931716)

ACCESSORIES

NO. OF TOOLBOXES	2
TOOL BOX SIZE	18X18X60 DOUBLE DOOR
TOOL BOX DOOR TYPE	ALUMINUM
TOOL BOX HARDWARE	CAM LOCKS
TOOL BOX LOCATION	BEHIND LANDING GEAR BOTH SIDES
CHAIN TIE DOWNS BETWEEN EVERY OTHER CROSSMEMBERS	YES (BETWEEN EVERY OTHER C/M) (NOTE REQUIRED)
NO. OF GALVANIZED STD. DOUBLE L SLIDING WINCHES	12

BEAVER TAIL

NONE

NONE

TARP

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.