



A032634 VIN: 109122

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894 Little Rock, AR: 833-424-8944 Baltimore, MD: 888-601-7500 Portland, ME: 800-325-4253 Concord, NC: 800-438-2250 Raleigh, NC 833-418-9777 Scranton, PA: Delmar, DE: 866-486-1400 800-569-1400 Des Moines, IA: 888-673-5011 Springfield, MA: 800-854-5306 Elkton, MD: 800-544-7127 Voorhees, NJ: 866-315-0235 Jacksonville, FL: 800-828-3055 Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer († 😭 🛅 🎯 🔠 800-232-6535 *FINANCING AVAILABLE

**TK80SA Sliding Axle trailer; 80,000 lbs uniform / 50,000 lbs in 17333-80SA_New

17333-Base

			Weight	
Item #	Category	Description	(lbs)	Qty
17333	Open Deck	**TK80SA Sliding Axle trailer; 80,000 lbs uniform /		
		50,000 lbs in 10 ft.		

17333-General - TK80SA

			Weight	
Item #	Category	Description	(lbs)	Qty
17336	Overall Length	49'-11" overall length		
17339	Overall Width	102" Wide		
17866	Paint	Zinc-rich Primer		
08030	Paint	S7205 IH Red with white decals		
18508	Paint	Red & white conspicuity markings		
17432	General - Misc	AUX Air Outlet - Front of tail channel on road side		

17333-Gooseneck - TK80SA

			Weight	
Item #	Category	Description	(lbs)	Qty
17233	Fifth Wheel / King Pin	49" loaded 5th wheel height		
17345	Upper Deck	9'0" Straight drop, perimeter frame upper deck (14" kingpin setting with 86" swing clearance)		
18517	Upper Deck	Tilting main deck - forms a ramp to upper deck		
17236	Upper Deck	No Headboard		

17241	Upper Deck	Add top access for toolboxes (2) with lockable covers with gas shocks
17247	Winch	20,000 lb. hydraulic winch with level wind (mounted above king pin) - Includes 9/16" x 80' cable
17252	Winch	Winch guard
17255	Winch	Winch roller (Recessed at rear of upper deck)
17257	Hydraulics / Controls	PTO hydraulics
17261	Hydraulics / Controls	Push - Pull style hydraulic valve controls w/ full- function wireless remote controls (Dual side controls)
17262	Landing Gear	2-speed park stands (crank road side)
17242	Gooseneck	Add interior lights to UD toolboxes (switched with panel lights)

17333-Deck - TK80SA

			Weight	
Item #	Category	Description	(lbs)	Qty
17370	Main Deck	Triangle cutouts		
17371	Main Deck	3" crossmembers on 12" crossmember spacing centers		
17374	Main Deck	Approximately 7 degree load angle / 15 degree dump angle (17.5 tires & 48' OAL trailer)		
17375	Decking, Main Deck	1 3/8" (NET) apitong deck raised		
17380	Decking, Approach Plate	3/8" smooth approach plate with 4-way slots on approach plate		
17383	Tie Downs	Internal 2-way key slots on approximately 24" centers length of trailer in inner and outer beams		
17331	Deck	Fold-down step and handle road side		
17332	Deck	Fold-down step and handle curb side		

17333-Suspension - TK80SA

			Weight		
Item #	Category	Description	(lbs)	Qty	
18518	Suspensions / Axles	No traveling hydraulic lines for sliding axle operation			
14672	Suspensions / Axles	Air ride suspension			
17391	Suspensions / Axles	Air Ride raise & lowering control panel on upper deck with liquid filled gauge			

17392	Suspensions / Axles	25,000 lb. capacity axles	2
14757	Suspensions / Axles	Wheel end lube type - Oil	
17401	Axle Spacing	50" Axle Spacing	
17404	Brakes	12.25 X 7.5 Drum brakes (For 37.5" deck height, select 17.5 wheels and tires)	
17405	Brakes	4S2M ABS Brakes	
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)	2
15003	Wheels (inside)	6.75 x 17.5 8-hole machined (SP) aluminum wheel (per wheel) ILO Std 6.75 x 17.5 8-hole steel disc wheel	4
15004	Wheels (outside)	6.75 x 17.5 8-hole polished (XP) aluminum wheel (per wheel) ILO Std 6.75 x 17.5 8-hole steel disc wheel	4
10058	Spare Wheel	No Spare Wheel	
18000	Tires	Continental 245/70R17.5 HTL2 - 18 ply	8
10059	Spare Tires	No Spare Tire	
14759	Flaps, Mud Guards & Fenders	Mudflaps	
14161	Suspensions / Axles	TireMaax CP tire inflation system (2 Axle)	

17333-Electrical - TK80SA

			Weight	
Item #	Category	Description	(lbs)	Qty
14648	Lights / Electrical	Grote LED Lights		
18726	Lights / Electrical	Grote sealed electrical harness system		
17415	Lights / Electrical	Add'l Clearance lights & Mid-turn for X-O-X-O-X on main frame		
17321	Lights / Electrical	One pair of quad flash amber strobes (with switch) at rear ILO 3rd tail light package		
18233	Lights / Electrical	No front swingout light		
18235	Lights / Electrical	No rear swingout light		
17323	Lights / Electrical	Recessed LED light bar in GN drop with single switch on driver's side		
17418	Lights / Electrical	4-pole female electrical at rear, road side, wired to clearance light		

208070	Additional Options	208070 - TKACD: Add adaptor harness to control electrical function from truck. Specific function 1 each per function, (Specify which function and wire color in electrical plug for each function). (validate verbiage before using)
208069	Additional Options	208069 - TKACD: Add 7-pole ISO socket to front of trailer to control 6 electrical functions from the truck. Must include 1 each of custom option #2 for each function to be controlled from the truck. The white wire will be common ground (validate verbiage before using)
		Bumper Strobes on Blue and Work Lights on Yellow from ISO Socket.

17333-Miscellaneous - TK80SA

			Weight	
Item #	Category	Description	(lbs)	Qty
17327	Flagholders	Flag Holders at rear of trailer		
17424	Miscellaneous	Central located lube system		
18818	FleetPulseGO	FleetPulseGO Track asset tracker for fleet visibility and asset recovery with up to 7-year battery life. Subscription required.		
207725	Custom Options	207725 - General: Install Plastic Plugs in All Unused Holes of Instructional/Operating Placards (Both		