



A032644 VIN: 066367

SERVICE SALES RENTALS PARTS

Allentown, PA: Little Rock, AR: 800-383-8894 833-424-8944 Baltimore, MD: 888-601-7500 Portland, ME: 800-325-4253 Concord, NC: 800-438-2250 Raleigh, NC 833-418-9777 Delmar, DE: 866-486-1400 Scranton, PA: 800-569-1400 Des Moines, IA: 888-673-5011 Springfield, MA: 800-854-5306 Elkton, MD: Voorhees, NJ: 800-544-7127 866-315-0235 Jacksonville, FL: 800-828-3055 Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer 🚹 쭞





800-232-6535 *FINANCING AVAILABLE

DROP DECK

Model # TNAR53AA0-2023

VIN # 5MASA5322PA066367

Weight

11064 lbs. *** **Cubic Yards**

0

FRAME RAIL MODEL 27" BEAM WITH 2 1/2 INCH ARCH LOAD PROFILE MATERIAL, 80K GVWR LENGTH 53 WIDTH 102 NECK STYLE SQUARE FRONT UPPER DECK LENGTH 10 FT. UPPER DECK CROSSMEMBER SPACING 18 IN. NOMINAL SPACING BULKHEAD NONE SPOOLS AND POCKETS DOUBLE SPOOLS W/ POCKETS NAILERS 2 NAILERS ON OUTSIDE LOWER DECK CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBER STACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBER AT REAR (R NONE EAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBERS WI-FRAME CROSSMEMBERS WI-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR NONE EXTREME DUTY BUMPER EXTREME DUTY BUMPER DOCK BUMPERS (2) 16 IN. OUTSIDE	BODY	
LENGTH 53 WIDTH 102 NECK STYLE SQUARE FRONT UPPER DECK LENGTH 10 FT. UPPER DECK CROSSMEMBER SPACING 18 IN. NOMINAL SPACING BULKHEAD NONE SPOOLS AND POCKETS DOUBLE SPOOLS W. POCKETS NAILERS 2 NAILERS ON OUTSIDE LOWER DECK CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBER SPACING 18 IN. ON CENTER (1) FULL WIDTH CROSSMEMBER AT REAR (R NONE EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE	FRAME RAIL MODEL	27" BEAM WITH 2 1/2 INCH ARCH
WIDTH 102 NECK STYLE SQUARE FRONT UPPER DECK LENGTH 10 FT. UPPER DECK CROSSMEMBER SPACING 18 IN. NOMINAL SPACING BULKHEAD NONE SPOOLS AND POCKETS DOUBLE SPOOLS W/ POCKETS NAILERS 2 NAILERS ON OUTSIDE LOWER DECK CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBERS (COIL) NONE (1) FULL WIDTH CROSSMEMBER AT REAR (R NONE EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR NONE CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE REINFORCEMENTS	LOAD PROFILE	MATERIAL, 80K GVWR
NECK STYLE SQUARE FRONT UPPER DECK LENGTH 10 FT. UPPER DECK CROSSMEMBER SPACING 18 IN. NOMINAL SPACING BULKHEAD NONE SPOOLS AND POCKETS DOUBLE SPOOLS W/ POCKETS NAILERS 2 NAILERS ON OUTSIDE LOWER DECK CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBER AT REAR (R NONE EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER SW/J-FRAME CROSSMEMBER SW/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NO REXTREME DUTY BUMPER REINFORCEMENTS	LENGTH	53
UPPER DECK LENGTH 10 FT. UPPER DECK CROSSMEMBER SPACING 18 IN. NOMINAL SPACING BULKHEAD NONE SPOOLS AND POCKETS DOUBLE SPOOLS W/ POCKETS NAILERS 2 NAILERS ON OUTSIDE LOWER DECK CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBERS (COIL) NONE (1) FULL WIDTH CROSSMEMBER AT REAR (R NONE EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NO. OF ADDITIONAL TUBULAR NONE CROSSMEMBERS WJ-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE REINFORCEMENTS	WIDTH	102
UPPER DECK CROSSMEMBER SPACING BULKHEAD NONE SPOOLS AND POCKETS DOUBLE SPOOLS W/ POCKETS NAILERS 2 NAILERS 2 NAILERS 2 NAILERS 18 IN. ON CENTER NO. OF STUB CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBERS (COIL) NONE (1) FULL WIDTH CROSSMEMBER AT REAR (R NONE EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE REINFORCEMENTS	NECK STYLE	SQUARE FRONT
BULKHEAD NONE SPOOLS AND POCKETS DOUBLE SPOOLS W/ POCKETS NAILERS 2 NAILERS ON OUTSIDE LOWER DECK CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBERS (COIL) NONE (1) FULL WIDTH CROSSMEMBER AT REAR (R EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR NONE CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER NO	UPPER DECK LENGTH	10 FT.
SPOOLS AND POCKETS DOUBLE SPOOLS W/ POCKETS NAILERS 2 NAILERS ON OUTSIDE LOWER DECK CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBERS (COIL) NONE (1) FULL WIDTH CROSSMEMBER AT REAR (R NONE EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NO REINFORCEMENTS	UPPER DECK CROSSMEMBER SPACING	18 IN. NOMINAL SPACING
NAILERS 2 NAILERS ON OUTSIDE LOWER DECK CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBERS (COIL) NONE (1) FULL WIDTH CROSSMEMBER AT REAR (R NONE EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR NONE CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER NO REINFORCEMENTS	BULKHEAD	NONE
LOWER DECK CROSSMEMBER SPACING 18 IN. ON CENTER NO. OF STUB CROSSMEMBERS (COIL) (1) FULL WIDTH CROSSMEMBER AT REAR (R (1) FULL WIDTH CROSSMEMBER AT REAR (R (1) FULL WIDTH CROSSMEMBER AT REAR (R (2) KONE EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER NO REINFORCEMENTS	SPOOLS AND POCKETS	DOUBLE SPOOLS W/ POCKETS
NO. OF STUB CROSSMEMBERS (COIL) NONE (1) FULL WIDTH CROSSMEMBER AT REAR (R EAR LOADING) REAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER NO REINFORCEMENTS	NAILERS	2 NAILERS ON OUTSIDE
(1) FULL WIDTH CROSSMEMBER AT REAR (R NONE EAR LOADING) REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER NO REINFORCEMENTS	LOWER DECK CROSSMEMBER SPACING	18 IN. ON CENTER
REAR FLOOR, THRESHOLD PLATE (REAR LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER REINFORCEMENTS		
LOADING) OUTER PERIMETER SUPPORTS KNEE BRACES (KNEE BRACE MAY BE REPLACED W/ TUBULAR CROSSMEMBER AS NEEDED) NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER REINFORCEMENTS		NONE
NO. OF ADDITIONAL 21 IN. KNEE BRACES NONE NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END EXTREME DUTY BUMPER REINFORCEMENTS CROSSMEMBER AS NEEDED) NONE CROSSMEMBER AS NEEDED) NONE		NONE
NO. OF ADDITIONAL TUBULAR CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER REINFORCEMENTS NO	OUTER PERIMETER SUPPORTS	
CROSSMEMBERS W/J-FRAME CROSSMEMBERS SIDE RAIL WINCH TRACK STD W/ BOLT ON LL TRACK D.S. BAR C.S. REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER REINFORCEMENTS NO	NO. OF ADDITIONAL 21 IN. KNEE BRACES	NONE
REAR END STYLE FULL REAR, SMOOTH (22.5 ONLY) STAINLESS ON REAR END NONE EXTREME DUTY BUMPER NO REINFORCEMENTS	CROSSMEMBERS W/J-FRAME	NONE
STAINLESS ON REAR END NONE EXTREME DUTY BUMPER NO REINFORCEMENTS	SIDE RAIL WINCH TRACK	STD W/ BOLT ON LL TRACK D.S. BAR C.S.
EXTREME DUTY BUMPER NO REINFORCEMENTS	REAR END STYLE	FULL REAR, SMOOTH (22.5 ONLY)
REINFORCEMENTS	STAINLESS ON REAR END	NONE
DOCK BUMPERS (2) 16 IN. OUTSIDE		NO
	DOCK BUMPERS	(2) 16 IN. OUTSIDE

LIGHTS	
LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	4 LARGE - 3 LARGE - 4 LARGE 0000 000 0000
STROBE LIGHTS	NONE
STROBE LIGHT LOCATION	NONE
STROBE LIGHT CONTROLS	NONE
STD. MARKER LIGHTS	21 EACH SIDE
3/4 IN. PENNY LIGHT MARKER LIGHTS	NONE
MARKER LIGHT LOCATION	STD.
MID-TURNS	(1) PAIR BOXED (CLOSED)

WIDE TURN DIRECTIONAL LIGHTS	NONE
BACK-UP LIGHTS	NONE
BACK-UP LIGHT LOCATION	NONE
AUXILIARY CABLE	NONE
PAIRS OF WIDE LOAD LIGHTS	NONE
REAR AUXILIARY PLUG	NONE
TEACHORIEM IN FEED	TIONE
PRIMARY AXLES	
MODEL	TANDEM
NO. OF PRIMARY AXLES	2
SUSPENSION	HEND. INTRAAX AANL 23K (250 BAGS) TP W/HXL-5
NO. OF LIFT KITS	0
PRIMARY AXLE LIFT KIT	NONE
SUSPENSION SLIDER	NONE
AXLE SPACING	122
AXLE SETTING	NOTE ALL AXLE SETTINGS
as far back as possible	
AXLES	AXLE FOR INTRAAX ONLY
LIFT CONTROLS	NONE
BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CENT W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
TIRES	GENERAL HT 255/70R 22.5 16 PLY
WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
PRIMARY AXLE TIRE INFLATION SYSTEM	NONE
CTEEDARIE LIET AVIEC	
STEERABLE LIFT AXLES NO. OF STEERABLE AXLES	0
STEERABLE AXLE SUSPENSION	NONE
STEERABLE AXLE DISTANCE	N/A
STEERABLE AXLE TIRES	NONE
STEERABLE AXLE WHEELS	NONE
STEERABLE AXLE CONTROLS	NONE
STEERABLE AXLE AIR TANKS	NONE
<u></u>	·
CHASSIS	
FRAME RAILS	MOVED TO BODY
PIN SETTING	16
5TH WHEEL PLATE TYPE	GALVANIZED
5TH WHEEL PLATE	5/16 IN. GR-50, 3/8 KP
5TH WHEEL PLATE HEIGHT	49 IN. HIGH
DECK HEIGHT AT REAR (SLIDING AXLE ADD	41 IN. 22.5 TIRES
1 IN. TO HEIGHT) SUSPENSION CONTROL	BALL VALVE (FULL SUSPENSION DUMP)
REAR AXLE DUMP VALVE	Z. Z
GLADHAND / ELECTRIC CONNECTION	FRONT ONLY
LOCATION	THOM ONE
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
HUBODOMETER	NONE
DUST COVERS	YES
TIRE CARRIER(S)	NONE
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.
REGISTRATION HOLDER	NONE
REGISTRATION HOLDER LOCATION	N/A
AIR GAUGE / SYSTEM	NONE
	NONE
ENCLOSURE FOR SWITCHES	NONE

NO

REAR OF REAR AXLE (1 SET)

AIR TANK DRAIN COCK WITH CABLE PULL

TO D.S.

ADDITIONAL FLAPS

PAINT		
HANGERS	GALVANIZED	
SUSPENSION COLOR	BLACK SOFT COAT	
PIN STRIPING	BLACK (931716)	
LANDING GEAR COLOR	BLACK (930248)	
MAC MACHINE FINISH LOGOS	BLACK (931716)	

ACCESSORIES	
NO. OF TOOLBOXES	2
TOOL BOX SIZE	24X24X60 DOUBLE DOOR
TOOL BOX DOOR TYPE	ALUMINUM
TOOL BOX HARDWARE	CAM LOCKS
TOOL BOX LOCATION	BETWEEN SPREAD BOTH SIDES
ROPE HOOKS (24 IN. SPACING)	NONE
NO. OF 8 FT. DUNNAGE HOLDERS	NONE
8 FT. DUNNAGE HOLDER TYPE	NONE
8 FT. DUNNAGE HOLDER LOCATION	NONE
V-RACK	NONE
NO. OF LOAD LEVELERS	1
NO. OF COMBO J HOOK (CHAIN/ STRAP)	NONE
(PAIRS) NO. OF BOLT ON CARGO HOOKS	NONE
J-HOOK STORAGE	NONE
CHAIN TIE DOWNS BETWEEN EVERY	NONE
CROSSMEMBERS	
CHAIN TIE DOWNS BETWEEN EVERY OTHER CROSSMEMBERS	NONE
NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	NONE
NO. OF D-RINGS - RECESSED IN DECK PER PAIR	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING WINCHES	12
NO. OF GALVANIZED STD. DOUBLE L LOW PRO SLIDING WINCHES	NONE
NO. OF GALVANIZED STD. DOUBLE L SLIDING LARGE CAP WINCHES	NONE
NO. OF GALVANIZED SIDE MOUNTED FIXED WINCHES	NONE
NO. OF GALVANIZED RECESSED FIXED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SIDE MOUNT WINCHES	NONE
NO. OF GALVANIZED 3 BAR RECESSED WINCHES	NONE
NO. OF GALVANIZED 3 BAR SLIDING WINCHES	NONE
NO. OF GALVANIZED 3 BAR LOW PRO WINCHES	NONE
NO. OF STD. 4 INCH X 30 FT. WINCH STRAPS WITH FLAT HOOK END	12
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH CHAIN HOOK END	NONE
NO. OF 4 IN. X 30 FT. WINCH STRAPS WITH W/D-RING ENDS	NONE
NO. OF KINDEDYNE STRAP HOOK HOLDERS	NONE
NO. OF ANCRA GLIDELOCK STRAP HOLDERS	NONE
NO. OF MAC LOW PROFILE STRAP RECEIVERS	NONE
NO. OF SLIDING CARGO HOOK	NONE
CONTAINER LOCKS	NONE
NO. OF DECK POCKETS (PER PAIR)	NONE
NO. OF DECK POCKETS WITH POP UPS	NONE
NO. OF LOG POCKETS (PER PAIR)	NONE

NO. OF 1/4 IN. X 3 IN. X 3 IN. X 48 IN.STAKES (PER PAIR)	NONE
NO. OF 1/2 IN. X 3 IN. X 3 IN. X 96 IN. LOG	NONE
STAKES (PER PAIR)	
NO. OF 9/16 IN. X 3 IN. X 3 IN. X 116 IN. LOG	NONE
STAKES	
BEAVER TAIL	NONE
FULL RAMP KIT INCLUDING RAMP	HANGERS MOUNTED ON TRAILER IN CENTER OF TRAILER
NONE	
WARNING PLACARDS	NONE
FLAG HOLDERS	NONE
TARP	
SIDE KIT, SUIDING AND CURTAIN SIDE	NONE

SYSTEMS