

HALE TRAILER BRAKE & WHEEL



A035356
VIN: S034108

SALES | RENTALS | PARTS | SERVICE

Allentown, PA: 800-383-8894	Little Rock, AR: 833-424-8944
Baltimore, MD: 888-601-7500	Portland, ME: 800-325-4253
Concord, NC: 800-438-2250	Raleigh, NC: 833-418-9777
Delmar, DE: 866-486-1400	Scranton, PA: 800-569-1400
Des Moines, IA: 888-673-5011	Springfield, MA: 800-854-5306
Elkton, MD: 800-544-7127	Voorhees, NJ: 866-315-0235
Jacksonville, FL: 800-828-3055	Walpole, MA: 800-854-5310

haletrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

TK110SA Sliding Axle trailer; 110,000 lbs uniform / 70,000 lbs in 10 ft.

17334-110SA_New

17334-Base

Item #	Category	Description	Weight (lbs)	Qty
17334	Open Deck	TK110SA Sliding Axle trailer; 110,000 lbs uniform / 70,000 lbs in 10 ft.		

17334-General - TK110SA

Item #	Category	Description	Weight (lbs)	Qty
17338	Overall Length	52'-11" overall length		
17339	Overall Width	102" Wide		
17866	Paint	Zinc-rich Primer		
14630	Paint	Non-Metallic color match paint upcharge <i>Two-Tone Paint</i>		
18508	Paint	Red & white conspicuity markings		

O9999-01 Custom Options Custom Option 200324 - TK80-110SA: Hot Dip Galvanized in Lieu of Paint. Note: Some Bolt-On Items Such as Landing Gear, Axles, and Suspension Will Be Painted. Shipping for the Galvanizing Process Will Be Quoted and Added to the Price at the Point of Acknowledgement. Only for Trailers Under 10 Feet Wide.

O9999-02 Custom Options Custom Option 200344 - TK80/110SA: Paint Standard Color Over Galvanized Trailer Only on Outside Face of Outside Beams (Road Side and Street Side) of Upper & Lower Decks, and Very Front of Trailer. Some Overspray on Inner Framework Is Acceptable. Loose Parts That Are Not Galvanized to Be Painted Grey S7230 to Match Galvanizing, Including Landing Gear, Suspension, and Other Loose Parts Not Galvanized.

O9999-03 Custom Options Custom Option Galvanized Trailer with two tone paint++

17334-Gooseneck - TK110SA

Item #	Category	Description	Weight (lbs)	Qty
17233	Fifth Wheel / King Pin	49" loaded 5th wheel height		
17384	Gooseneck	Add exterior bent d-rings on upper deck (3 pair on 9' & 10' upper decks)		
17345	Upper Deck	9'0" Straight drop, perimeter frame upper deck (14" kingpin setting with 86" swing clearance)		
18517	Upper Deck	Tilting main deck - forms a ramp to upper deck		
17238	Upper Deck	48" Headboard (removable) w/ provisions for bolt on lockable chain storage rack and chain basket		
17241	Upper Deck	Add top access for toolboxes (2) with lockable covers with gas shocks		
17249	Winch	20,000 lb hydraulic winch w/ air activated free spool and level wind (mounted above king pin) Includes 9/16" x 80' cable		
17252	Winch	Winch guard		
17255	Winch	Winch roller (Recessed at rear of upper deck)		

17257	Hydraulics / Controls	PTO hydraulics
17261	Hydraulics / Controls	Push - Pull style hydraulic valve controls w/ full-function wireless remote controls (Dual side controls)
17262	Landing Gear	2-speed park stands (crank road side)
17876	Gooseneck	Bolt on lockable chain storage rack with chain basket (requires option 17238)
17256	Gooseneck	Fair Lead Roller Installation

17334-Deck - TK110SA

Item #	Category	Description	Weight (lbs)	Qty
17370	Main Deck	Triangle cutouts		
17373	Main Deck	3" crossmembers on 8" centers		
17374	Main Deck	Approximately 7 degree load angle / 15 degree dump angle (17.5 tires & 48' OAL trailer)		
17385	Deck	Add exterior bent d-rings on 48" centers on mainframe		
17375	Decking, Main Deck	1 3/8" (NET) apitong deck raised		
17380	Decking, Approach Plate	3/8" smooth approach plate with 4-way slots on approach plate		
17383	Tie Downs	Internal 2-way key slots on approximately 24" centers length of trailer in inner and outer beams <i>Key slots recessed</i>		
O9999-01	Custom Options	Custom Option 200267 - TK80SA+: Skid Plate for Container, 3/8" x 6 Full Length of Main Deck for 53' OAL Trailer (One Each Side) (53' Required for 40' Container)		

17334-Suspension - TK110SA

Item #	Category	Description	Weight (lbs)	Qty
18518	Suspensions / Axles	No traveling hydraulic lines for sliding axle operation		
14672	Suspensions / Axles	Air ride suspension		
17391	Suspensions / Axles	Air Ride raise & lowering control panel on upper deck with liquid filled gauge		
17392	Suspensions / Axles	25,000 lb. capacity axles		3
14757	Suspensions / Axles	Wheel end lube type - Oil		
17401	Axle Spacing	50" Axle Spacing		
17404	Brakes	12.25 X 7.5 Drum brakes (For 37.5" deck height, select 17.5 wheels and tires)		
17405	Brakes	4S2M ABS Brakes		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		3
08182	Wheels (inside)	6.75 x 17.5 8-hole steel disc wheel		6
15004	Wheels (outside)	6.75 x 17.5 8-hole high polished aluminum wheel (per wheel) ILO Std 6.75 x 17.5 8-hole steel disc wheel		6
10058	Spare Wheel	No Spare Wheel		
18000	Tires	Continental 245/70R17.5 HTL2 - 18 ply		12
10059	Spare Tires	No Spare Tire		
14759	Flaps, Mud Guards & Fenders	Mudflaps		
17394	Suspensions / Axles	Add air lift to first axle on a 3 axle trailer		
14160	Suspensions / Axles	PSI Tire Inflation System (3 Axle)		

17334-Electrical - TK110SA

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights / Electrical	Grote LED Lights		
18726	Lights / Electrical	Grote sealed electrical harness system		
17414	Lights / Electrical	Single Mid-turn signal w/ clearance lights X-O-X (whole trailer)		
17321	Lights / Electrical	One pair of quad flash amber strobes (with switch) ILO 3rd tail light package		
18233	Lights / Electrical	No front swingout light		
18235	Lights / Electrical	No rear swingout light		
O9999-01	Custom Options	Custom Option 204260 - TK110SA: Aluminum LED Light Bar (Stop, Turn, and Tail Lights) with Chain Binder Rack. Dual LED Work Lights Mounted on Light Bar. Dual Class II Strobe Beacons Mounted on Light Bar		
O9999-02	Custom Options	Custom Option 202727 - TKSA: (3) Sets Of (2) Pair Work Lights Recessed And Protected In The Surface Of The Deck, Visible When Deck Is Lowered For Loading, Space The (3) Sets Evenly, Controlled With Same Switch As Light Bar And Tool Box Lights		

17334-Miscellaneous - TK110SA

Item #	Category	Description	Weight (lbs)	Qty
17327	Flagholders	Flag Holders at front and rear of trailer		
17424	Miscellaneous	Central located lube system		
18818	FleetPulseGO	FleetPulseGO Track asset tracker for fleet visibility and asset recovery with up to 7-year battery life. Subscription required.		

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.