

HALE

TRAILER

BRAKE & WHEEL



A037245
VIN: Z4125

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer



800-232-6535 *FINANCING AVAILABLE

TK102HDG Advantage Plus Hydraulic Detachable 102,000 Lbs

10002-102HDG AdvPlus_New

10002-Base

Item #	Category	Description	Weight (lbs)	Qty
10002	Open Deck	TK102HDG Advantage Plus Hydraulic Detachable 102,000 Lbs in 12 feet		

10002-General - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
10030	Overall Width	108" deck width deck and wheel area		
17866	Paint	Zinc-rich Primer		
08024	Paint	S7203 Black with white decals		
18508	Paint	Red & white conspicuity markings		
08569	General - Misc	DOT Inspection		

10002-Gooseneck - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
10012	Gooseneck	12' 11" gooseneck length (16" and 40" KP setting with 110" and 86" swing)		
18513	Gooseneck	Gooseneck arched for increased truck fender clearance		
10007	Gooseneck	PTO Hydraulics		
14223	Gooseneck	7-position gooseneck height adjustment +3"/-7" (N/A on paver style)		
14553	Gooseneck	Hydraulic gooseneck support arm		
14554	Gooseneck	Air-activated, positive self-locking pin		
14555	Fifth Wheel /	50" 5th wheel height		

14224	Gooseneck	1 pr straight d-rings on rear flange of gooseneck riser section
-------	-----------	---

10002-Deck - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
10018	Deck Length	25' 9" deck length		
17872	Deck Length	18" loaded deck height w/6" ground clearance		
10028	Deck Width	Full-width deck - 4 beam main frame construction		
14632	Main Deck	I-beam crossmembers on 24" centers		
14633	Main Deck	4" stubs between crossmembers in outer bays for 12" centers in outer bays		
14634	Main Deck	Triangle cut-outs on deck beams and bolster		
14635	Main Deck	Knuckle trough at rear of deck - 72" long, covered with 1/4" steel		
14250	Decking	1 3/4 Apitong decking (raised)		
14257	Outriggers / Side Extensions	Swingout outriggers, with pullout HD outrigger at front, double swingouts at center, and 4' storage pan		
14639	Outriggers /	Outrigger Planks Loose		
14255	Ramps	Fixed 16" front ramps tapered to 2.5" (reduces swing clearance by 8")		
14314	Tie Downs	14 bent-style D-rings on deck		
11373	Deck - Misc	Top flange reinforcement		
14261	Deck - Misc	2 pr bent d-rings in knuckle trough		
209613	Custom Options	209613 - TK110HDG: 12 ga dirt sheds on top of the load deck inside main beams bottom flange (inside and outside), also on the inside and outside of the outside main beams (bottom flange of all (4) beams)		

10002-Wheel Area - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
10037	Wheel Area	Fixed wheel area - includes front half bolster		
10072	Wheel Area	Load-bearing removable squared bolt-on wheel covers		
14636	Wheel Area	Full depth open boom trough with lowered crossmembers between axles in wheel area		
14280	Wheel Area	10ga. Steel boom plates bolted in boom trough		
10050	Axle Spacing	55" axle spacing (no additional axle reinforcement)		
14765	Miscellaneous	Wide load sign brackets		
17738	Tie Downs	2 straight D-rings mounted at rear of WA on top flange		

14759	Flaps, Mud	Mudflaps
11372	Wheel Area - Misc	1 pr straight d-rings to be on flange of front slope of wheel area
14262	Wheel Area - Misc	2 pr bent d-rings in wheel area transition (East Coast style WA only)
14263	Wheel Area - Misc	1 pr straight d-rings located above each crossmember in wheel area (East Coast style WA only)
17492	Wheel Area - Misc	Removable folding aluminum oversized load sign with brackets

10002-Suspension - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
14672	Suspensions /	Air ride suspension		
14133	Suspensions /	25,000-lb. (5/8" wall) axles (per complete axle)		3
14641	Suspensions /	3rd axle air lift with dual ride height control		
14642	Suspensions / Axles	Raising/lowering air control panel (includes liquid filled air gauge)		
14284	Suspensions / Axles	Air suspension control panel in end of bolster ahead of rear axle		
14757	Suspensions /	Wheel end lube type - Oil		
14135	Brakes	16 1/2" x 7" Air Drum Brakes with automatic slack adjusters (for 22.5 wheels)		
10055	Brakes	No ABS		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		
12849	Wheels	8.25 x 22.5 10-hole steel disc wheel		6
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(180)	6
10058	Spare Wheel	No Spare Wheel		
16219	Tires	Continental 255/70R22.5 HSR2 SA - 16 ply (tire only) (per tire)		12
10059	Spare Tires	No Spare Tire		
18813	Limiter Chains	Limiter/chain-ups on 1st axle		
14178	Suspensions /	Hubodometer		

10002-Electrical - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights /	Grote LED Lights		
18726	Lights /	Grote sealed electrical harness system		
17498	Lights / Electrical	Oval penny side marker lights w/ single mid-turn and (3) oval penny ID lights at rear of wheel area		

14311	Lights / Electrical	One pair of 4" round quad flash amber strobes at rear w/ switch mounted on drivers side rear bolster ILO 3rd tail light package	
18230	Lights / Electrical	Center identification lights illuminated for marker lights	
14649	Lights /	7-pole electrical connector	
10064	Lights / Electrical	Remote flasher w/ battery back-up with switch mounted on drivers side rear bolster	
10062	Lights /	4-pole socket wired to clearance light	
10066	Lights /	Stainless inserts around lights in tail channel	
10067	Lights /	Strobe light mounted on pedestal <i>one each corner rear bolster</i>	2

10002-Miscellaneous - TK102HDG+

Item #	Category	Description	Weight (lbs)	Qty
14650	Flagholders	Flag holders, front of deck and rear of trailer		
18818	FleetPulseGO	FleetPulseGO Track asset tracker for fleet visibility and asset recovery with up to 7-year battery life. Subscription required.		

Weight (lbs) = -180

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical. Equipment availability, prices and specifications are subject to change without notice.