

HALE TRAILER BRAKE & WHEEL



A037516 VIN#71602
A037517 VIN#71601
A037518 VIN#71603
A037519 VIN#V1602N

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC:	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	866-315-0235
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com | @haletrailer     

800-232-6535 *FINANCING AVAILABLE

TK80J Jeep; 80,000lb cap (2 axles)

11939-80J_New

STANDARD EQUIPMENT

Electrical system per ICC/DOT regulations

Rubber mounted sealed lights and sealed harness system

11939-Base

Item #	Category	Description	Weight (lbs)	Qty
11939	Open Deck	TK80J Jeep; 80,000lb cap (2 axles)		

11939-General - TK80J

Item #	Category	Description	Weight (lbs)	Qty
11984	Overall Width	120" overall width		
10993	Beam Depth	For correct fifth wheel height, specify the Serial # of the corresponding trailer		
14603	Paint	Metallic color match paint upcharge <i>Paint: Light Brown Effect L0402 - 737483008</i> <i>Decals:</i>		
17866	Paint	Zinc-rich Primer		
18508	Paint	Red & white conspicuity markings		
15577	Tie Downs	Four (4) D-rings for lifting		

11939-Gooseneck - TK80J

Item #	Category	Description	Weight (lbs)	Qty
15574	Fifth Wheel / King Pin	48" sliding 5th wheel with sliding air lock		
17869	Gooseneck	4" arched bottom flange of gooseneck for additional truck clearance (raises GN 4")		

11958	Fifth Wheel / King Pin	50" 5th-wheel height
11962	Fifth Wheel / King Pin	16" kingpin setting w/ 84" swing clearance
11966	Hydraulics / Controls	No hydraulics through jeep
11978	Landing Gear	2-speed park stands (crank handle on curb side)
15598	Miscellaneous	Heavy-duty pogo stick for air and electrical lines

11939-Suspension - TK80J

Item #	Category	Description	Weight (lbs)	Qty
14672	Suspensions / Axles	Air ride suspension		2
14642	Suspensions / Axles	Raising/lowering air control panel (includes liquid filled air gauge)		
15640	Suspensions / Axles	27,000-lb (3/4" wall) axle with chain ups (per complete axle)		2
14757	Suspensions / Axles	Wheel end lube type - Oil		
11992	Axle Spacing	60" axle spacing		
O9998	Brakes	See Custom Option Below.		
10055	Brakes	No ABS		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		2
15051	Wheels (inside)	8.25 x 22.5 10-hole machined (SP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(120)	4
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(120)	4
10058	Spare Wheel	No Spare Wheel		
O9998	Tires	See Custom Option Below.		
10059	Spare Tires	No Spare Tire		
15594	Flaps, Mud Guards & Fenders	Removable Mudflaps with 45 Deg Corner Spring Mount Brackets		
14163	Suspensions / Axles	TireMaax Pro tire inflation system (2 Axle)		
207370	Custom Options	207370 - TK120HDG: Continental 11R22.5 HSR2 - 16 Ply ILO Continental 275/70R22.5 HSR2 - 18 Ply. (Per Tire)		8

202600	Custom Options	Custom Option 202600 - General: Install A Shut Off (Ball Valve) Kit For Both Air Bags Of An Air Ride Suspension, Order (1) Kit Per Axle For Multiple Axle Trailers (Not Available On MG/HG/MED/HED) (Can Not Be Installed On The Axle With Ride Height Control)	2
205792	Custom Options	205792 - TK80J Disc Brake Per Axle ILO Std 16 1/2 x 7 Drum Brakes, 22.5" Wheel Size, Axle Position With Hanger Suspension, Steel Hub Piloted, Tapered D Spindle, 27,000-Lb 3/4 Wall	2

11939-Electrical - TK80J

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights / Electrical	Grote LED Lights		
14649	Lights / Electrical	7-pole electrical connector		
17730	Lights / Electrical	Oval penny side marker lights and (3) oval penny ID lights at rear		
17732	Lights / Electrical	Two pair red S/T/T lights		
18726	Lights / Electrical	Grote sealed electrical harness system		

TK130HDG/ MDG 3 axle reinforced for tandem axle booster, 24/8 17889-130HDG-MDG_New

17889-Base

Item #	Category	Description	Weight (lbs)	Qty
17889	Open Deck	TK130HDG/ MDG 3 axle reinforced for tandem axle booster, 24/8 deck height		

17889-Gooseneck - TK130HDG/MDG

Item #	Category	Description	Weight (lbs)	Qty
17896	Gooseneck	18' 6" Hydraulic gooseneck (169" swing) (13' 8" base & 58" flip) (STD 16" and 40" KP settings on base GN and 16" on GN Flip)		

17903	Gooseneck	Dual hydraulics with diverter valve (includes 16HP Vanguard SCU and PTO hydraulics) (HDG only) - Not available for 14' Hyd GN
09998	Fifth Wheel / King Pin	See Custom Option Below.
17911	Fifth Wheel / King Pin	Hydraulic gooseneck support arm (HDG only)
14555	Fifth Wheel / King Pin	50" 5th wheel height
200162	Custom Options	200162 - TK130-170HDG: Hydraulic assist for gooseneck flip for flips up to 84" of length

17889-General - TK130HDG/MDG

Item #	Category	Description	Weight (lbs)	Qty
17937	Overall Width	120" trailer width		
18508	Paint	Red & white conspicuity markings		
14631	Paint	Metallic color match paint upcharge <i>Paint: Light Brown Effect L0402 - 737483008</i> <i>Decals:</i>		
17866	Paint	Zinc-rich Primer		
14650	Flagholders	Flag holders, front of deck and rear of trailer		
17495	General - Misc	Bent D-rings - per pair		3

confirming location with customer

17889-Deck - TK130HDG/MDG

Item #	Category	Description	Weight (lbs)	Qty
09998	Deck Length	See Custom Option Below.		
17933	Deck Length	Trailer capacity concentrated in 16'		
17939	Main Deck	4' storage area near front of load deck		
17940	Main Deck	4" stubs between crossmembers in outer bays for 12" centers in outer bays		
17942	Main Deck	Knuckle trough at rear of deck - 72" long, covered with 1/4" steel		
17946	Main Deck	Full width deck - 4 beam main frame construction		
17977	Decking	1 3/4" Apitong decking (raised)		
14639	Outriggers / Side Extensions	Outrigger Planks Loose		

17987	Outriggers / Side Extensions	12" standard swing-out outriggers includes brackets with dual in center
17991	Outriggers / Side Extensions	Pullout outriggers at front (N/A with dropside deck) (available with swingouts only)
17995	Ramps	31" front loading ramps with 3/4" traction aids
14314	Tie Downs	14 bent-style D-rings on deck
17982	Tie Downs	Standard triangle cutouts in beams
14260	Deck - Misc	Additional bent d-rings to fill out deck
206893	Custom Options	206893 - TK130HDG: 27' 0" deck length (130+2)

17889-Wheel Area - TK130HDG/MDG

Item #	Category	Description	Weight (lbs)	Qty
17955	Wheel Area	Mechanical evener beam style 3 axle WA with boom trough as large as possible - removes 1st & 2nd waffle plate x-members between axles, underside I-beam style reinforcement to outside bolsters (setup for MB2 2 axle booster (60/40 split))		
17958	Wheel Area	No boom plates		
17962	Wheel Area	Detachable wheel area with horizontal pins (adds 6" to oal) - Includes shim holder		
17964	Wheel Area	No front bolsters for trailer with detachable wheel area		
17968	Wheel Area	Formed heavy duty style bolsters between wheels w/ triangle tie down cutouts on the ends and after deck at rear (required for Mechanical Evener beam only)		
17971	Wheel Area	No wheel covers		
14765	Miscellaneous	Wide load sign brackets		
17738	Tie Downs	2 straight D-rings mounted at rear of WA on top flange		
14759	Flaps, Mud Guards & Fenders	Mudflaps		

17889-Suspension - TK130HDG/MDG

Item #	Category	Description	Weight (lbs)	Qty
14285	Suspensions / Axles	27,000-lb. (3/4" wall) axles (per complete axle)		3

18203	Suspensions / Axles	Air ride suspension with single ride height control		
14642	Suspensions / Axles	Raising/lowering air control panel (includes liquid filled air gauge)		
18209	Suspensions / Axles	Air suspension control panel in bolster end (in after deck on evenner beam)		
14757	Suspensions / Axles	Wheel end lube type - Oil		
18213	Axle Spacing	60" axle spacing 130-150 (2 axle booster) (Add to OAL)		
14135	Brakes	16 1/2" x 7" Air Drum Brakes with automatic slack adjusters (for 22.5 wheels)		
10055	Brakes	No ABS		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		3
15051	Wheels (inside)	8.25 x 22.5 10-hole machined (SP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(180)	6
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(180)	6
10058	Spare Wheel	No Spare Wheel		
O9998	Tires	See Custom Option Below.		
10059	Spare Tires	No Spare Tire		
18813	Limiter Chains	Limiter/chain-ups on 1st axle		
18815	Suspensions / Axles	Limiter/chain-ups on 3rd axle		
14164	Suspensions / Axles	TireMaax Pro tire inflation system (3 Axle)		
205792	Custom Options	205792 - Disc Brake Per Axle ILO Std 16 1/2 x 7 Drum Brakes, 22.5" Wheel Size, Axle Position With Hanger Suspension, Steel Hub Piloted, Tapered D Spindle, 27,000-Lb 3/4 Wall		3
207370	Custom Options	207370 - TK120HDG: Continental 11R22.5 HSR2 - 16 Ply ILO Continental 275/70R22.5 HSR2 - 18 Ply. (Per Tire)		12
202600	Custom Options	202600 - General: Install A Shut Off (Ball Valve) Kit For Both Air Bags Of An Air Ride Suspension, Order (1) Kit Per Axle For Multiple Axle Trailers (Not Available On MG/HG/MED/HED) (Can Not Be Installed On The Axle With Ride Height Control)		2

Axles 1 & 3

17889-Electrical - TK130HDG/MDG

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights / Electrical	Grote LED Lights		
18726	Lights / Electrical	Grote sealed electrical harness system		
17498	Lights / Electrical	Oval penny side marker lights w/ single mid-turn and (3) oval penny ID lights at rear of wheel area		
15768	Lights / Electrical	3rd tail light package plus additional 4" round quad flash amber strobes at rear with switch		
18230	Lights / Electrical	Center identification lights illuminated for marker lights		
14649	Lights / Electrical	7-pole electrical connector		
18228	Lights / Electrical	No remote flasher w/ battery backup		

TKMB2 Mechanical booster; 2 axle, 9 & 10 axle configuration,
11859-MB2_New
STANDARD EQUIPMENT

Rubber mounted sealed lights and sealed harness system

Electrical system per DOT regulations

Red & white conspicuity markings

11859-Base

Item #	Category	Description	Weight (lbs)	Qty
11859	Open Deck	TKMB2 Mechanical booster; 2 axle, 9 & 10 axle configuration, 50,000lb cap		

11859-General - TKMB2

Item #	Category	Description	Weight (lbs)	Qty
17868	Overall Width	120" wide		
14654	Landing Gear	Single Speed Drop-leg jack		
17866	Paint	Zinc-rich Primer		
14603	Paint	Metallic color match paint upcharge <i>Paint: Light Brown Effect L0402 - 737483008</i> <i>Decals:</i>		
18508	Paint	Red & white conspicuity markings		
15772	Flagholders	Flag Holders		

11859-Suspension - TKMB2

Item #	Category	Description	Weight (lbs)	Qty
14672	Suspensions / Axles	Air ride suspension		
14642	Suspensions / Axles	Raising/lowering air control panel (includes liquid filled air gauge)		
15640	Suspensions / Axles	27,000-lb (3/4" wall) axle with chain ups (per complete axle)		2
14757	Suspensions / Axles	Wheel end lube type - Oil		
11792	Axle Spacing	60" axle spacing		
O9998	Axle Spacing	See Custom Option Below. <i>15' from last axle on trailer to first axle on booster</i>		
O9998	Brakes	See Custom Option Below.		
17803	Brakes	No ABS		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		2
15051	Wheels (inside)	8.25 x 22.5 10-hole machined (SP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(120)	4
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(120)	4
10058	Spare Wheel	No Spare Wheel		
O9998	Tires	See Custom Option Below.		
10059	Spare Tires	No Spare Tire		
14759	Flaps, Mud Guards & Fenders	Mudflaps		
14163	Suspensions / Axles	TireMaax Pro tire inflation system (2 Axle)		
207370	Custom Options	207370 - TK120HDG: Continental 11R22.5 HSR2 - 16 Ply ILO Continental 275/70R22.5 HSR2 - 18 Ply. (Per Tire)		8
202600	Custom Options	Custom Option 202600 - General: Install A Shut Off (Ball Valve) Kit For Both Air Bags Of An Air Ride Suspension, Order (1) Kit Per Axle For Multiple Axle Trailers (Not Available On MG/HG/MED/HED) (Can Not Be Installed On The Axle With Ride Height Control)		2

205792	Custom Options	205792 - General: Disc Brake Per Axle ILO Std 16 1/2 x 7 Drum Brakes, 22.5" Wheel Size, Axle Position With Hanger Suspension, Steel Hub Piloted, Tapered D Spindle, 27,000-Lb 3/4 Wall <i>2nd axle</i>
205791	Custom Options	205791 - General: Disc Brake Per Axle ILO Std 16 1/2 x 7 Drum Brakes, 22.5" Wheel Size, Axle Position With Yoke Suspension, Steel Hub Piloted, Tapered D Spindle, 27,000-Lb 3/4 Wall <i>1st axle</i>

11859-Electrical - TKMB2

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights / Electrical	Grote LED Lights		
18726	Lights / Electrical	Grote sealed electrical harness system		
15765	Lights / Electrical	Side marker lights and (3) ID lights on tail channel. Light type to match all trailer components		
15768	Lights / Electrical	3rd tail light package plus additional 4" round quad flash amber strobes at rear with switch		
18230	Lights / Electrical	Center identification lights illuminated for marker lights		

11859-Miscellaneous - TKMB2

Item #	Category	Description	Weight (lbs)	Qty
15636	Tie Downs	Lifting eye and Straight D-rings for loading		
14666	Miscellaneous	Remote pivot bearing lube kit		
14765	Miscellaneous	Wide load sign brackets		

TK130, Full width, 16" beam depth

12266-TK130

TK130, Full width, 16" beam depth

TK130, Full width, 16" beam depth

12266-Base

Item #	Category	Description	Weight (lbs)	Qty
12266	Open Deck	TK130, Full width, 16" beam depth		
12271	Beam Depth	Customer bringing trailer in for fitting, specify the Serial # of the corresponding trailer		

12272	Type of Deck	Full width deck extension	
12288	Deck Length	20' deck length	
12992	Deck Width	10' deck width for 16' to 30' deck lengths	
12995	Main Deck	Flat deck includes triangle cut-outs	
13002	Main Deck	No knuckle trough	
13004	Main Deck	Horizontal pins, detachable wheel area	
13016	Decking	1 3/4" Apitong raised decking (net)	
13006	Tie Downs	Standard cut-outs in beams <i>(6) pair bent D-rings</i>	12
15815	Outriggers / Side Extensions	Outrigger Planks Loose	
13015	Outriggers / Side Extensions	Swingout outriggers, 12", includes brackets (Ea.)	12
13024	Ramps	No ramps	
12993	Concentrated Capacity	Concentrated in 16' (deck section only)	
13027	Lights / Electrical	LED light package (deck section only)	
14603	Paint	Metallic color match paint upcharge <i>Paint: Light Brown Effect L0402 - 737483008</i> <i>Decals:</i>	
17866	Paint	Zinc-rich Primer	
18508	Paint	Red & white conspicuity markings	

DISCLAIMER

Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.