HALE TRAILER BRAKE & WHEEL

SALES | RENTALS | PARTS | SERVICE

Allentown, PA:	800-383-8894	Little Rock, AR:	833-424-8944
Baltimore, MD:	888-601-7500	Portland, ME:	800-325-4253
Concord, NC:	800-438-2250	Raleigh, NC	833-418-9777
Delmar, DE:	866-486-1400	Scranton, PA:	800-569-1400
Des Moines, IA:	888-673-5011	Springfield, MA:	800-854-5306
Elkton, MD:	800-544-7127	Voorhees, NJ:	800-232-6535
Jacksonville, FL:	800-828-3055	Walpole, MA:	800-854-5310

haletrailer.com • follow us online @haletrailer

800-232-6535 *FINANCING AVAILABLE

TRAIL KING industries

A042268-A042269
VIN: 040861-S040862

TK120HDG Advantage Plus Hydraulic Detachable 120,000 Lbs in 16 feet

14218-120HDG AdvPlus_New

14218-Base

Item #	Category	Description	Weight (lbs)	Qty
14218	Open Deck	TK120HDG Advantage Plus Hydraulic Detachable 120,000 Lbs in 16 feet		

14218-General - TK120HDG+

Item #	Category	Description	Weight (lbs)	Qty
10030	Overall Width	108" trailer width		
08024	Paint	S7203 Black with white decals		
17866	Paint	Zinc-rich Primer		
18508	Paint	Red & white conspicuity markings		

14218-Gooseneck - TK120HDG+

Item #	Category	Description	Weight (lbs)	Qty
14219	Gooseneck	12' 11" gooseneck length (16" and 40" KP setting with 110" and 86" swing)		
18513	Gooseneck	Gooseneck arched for increased truck fender clearance		
10013	Gooseneck	389cc Honda self-contained hydraulics		
14223	Gooseneck	7-position gooseneck height adjustment +3"/-7" (N/A on paver style)		
14553	Gooseneck	Hydraulic gooseneck support arm		

14554	Gooseneck	Air-activated, positive self-locking pin
14555	Fifth Wheel / King Pin	50" 5th wheel height
206251	Custom Options	Custom Option 206251 - TK120HDG: 12"11" Hydraulic gooseneck base and 36" flip neck

14218-Deck - TK120HDG+

Item #	Category	Description	Weight (lbs)	Qty
O9998	Deck Length	See Custom Option Below. ***TRAILER WILL BE OVERLENGTH***		
14248	Deck Length	Conc. in 16' - 20" loaded deck height w/6" ground clearance (120k)		
10028	Deck Width	Full-width deck - 4 beam main frame construction		
14632	Main Deck	I-beam crossmembers on 24" centers		
14633	Main Deck	4" stubs between crossmembers in outer bays for 12" centers in outer bays		
14634	Main Deck	Triangle cut-outs on deck beams and bolster		
O9998	Main Deck	See Custom Option Below. *Knuckle Trough 1/2" plate on top of bottom flange STD*		
14250	Decking	1 3/4 Apitong decking (raised)		
14257	Outriggers / Side Extensions	Swingout outriggers, with pullout HD outrigger at front, double swingouts at center, and 4' storage pan		
14639	Outriggers / Side Extensions	Outrigger Planks Loose		
14252	Ramps	Front ramps (31" std deck, 42" tapered deck, N/A on rail deck & drop side deck)		
14314	Tie Downs	14 bent-style D-rings on deck *Additional D-Rings to fill out deck*		
O9999-01	Custom Options	Custom Option 209334 - TK120HDG: Conc. In 16' - 30' deck length (single axle booster reinforcement) max 55' OAL ilo std 25'9" ***TRAILER WILL EXCEED 53' LENGTH***		

14218-Wheel Area - TK120HDG+

Item #	Category	Description	Weight (lbs)	Qty
10040	Wheel Area	Detachable wheel area with bolt-on front bolsters and horizontal pins (includes shim holder)		
10038	Wheel Area	No wheel covers		
14280	Wheel Area	10ga. Steel boom plates bolted in boom trough		
14636	Wheel Area	Full depth open boom trough with lowered crossmembers between axles in wheel area		
14638	Wheel Area	Brackets, air and electrical for additional axles		
14292	Axle Spacing	Conc. in 16' - 55" axle spacing (single axle booster reinforcement)		
14765	Miscellaneous	Wide load sign brackets		
17738	Tie Downs	2 straight D-rings mounted at rear of WA on top flange		
14759	Flaps, Mud Guards & Fenders	Mudflaps		

14218-Suspension - TK120HDG+

Item #	Category	Description	Weight (lbs)	Qty
14672	Suspensions / Axles	Air ride suspension		
14285	Suspensions / Axles	27,000-lb. (3/4" wall) axles (per complete axle)		3
14641	Suspensions / Axles	3rd axle air lift with dual ride height control		
14642	Suspensions / Axles	Raising/lowering air control panel (includes liquid filled air gauge)		
14284	Suspensions / Axles	Air suspension control panel in end of bolster ahead of rear axle		
14757	Suspensions / Axles	Wheel end lube type - Oil		
14135	Brakes	16 1/2" x 7" Air Drum Brakes with automatic slack adjusters (for 22.5 wheels)		
10057	Brakes	No ABS with Spring brakes (1st and 2nd axles)		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		3
15051	Wheels (inside)	8.25 x 22.5 10-hole machined (SP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(180)	6

15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(180)	6
10058	Spare Wheel	No Spare Wheel		
07913	Tires	Continental 275/70R22.5 HSR2 - 18 ply		12
10059	Spare Tires	No Spare Tire		
18813	Limiter Chains	Limiter/chain-ups on 1st axle		
14164	Suspensions / Axles	TireMaax Pro tire inflation system (3 Axle)		

14218-Electrical - TK120HDG+

Item #	Category	Description	Weight (lbs)	Qty
14311	Lights / Electrical	One pair of 4" round quad flash amber strobes at rear w/ switch mounted on drivers side rear bolster ILO 3rd tail light package		
14648	Lights / Electrical	Grote LED Lights		
14649	Lights / Electrical	7-pole electrical connector		
17498	Lights / Electrical	Oval penny side marker lights w/ single mid-turn and (3) oval penny ID lights at rear of wheel area		
10064	Lights / Electrical	Remote flasher w/ battery back-up with switch mounted on drivers side rear bolster		
18230	Lights / Electrical	Center identification lights illuminated for marker lights		
18726	Lights / Electrical	Grote sealed electrical harness system		

14218-Miscellaneous - TK120HDG+

Item #	Category	Description	Weight (lbs)	Qty
14650	Flagholders	Flag holders, front of deck and rear of trailer		
18818	FleetPulseGO	FleetPulseGO Track asset tracker for fleet visibility and asset recovery with up to 7-year battery life. Subscription required.		

TKFA1 Flip Axle

10988-TKFA1_New

10988-Base

Item #	Category	Description	Weight (lbs)	Qty
10988	Open Deck	TKFA1 Flip Axle		

10988-General - TKFA1

Item #	Category	Description	Weight (lbs)	Qty
10992	Overall Width	108" overall width		
17866	Paint	Zinc-rich Primer		
08024	Paint	S7203 Black with white decals		
18508	Paint	Red & white conspicuity markings		
15772	Flagholders	Flag Holders		

10988-Wheel Area - TKFA1

Item #	Category	Description	Weight (lbs)	Qty
17714	Beam Depth	For correct beam depth, specify the Serial # of the corresponding trailer.		
10995	Position	Rear flip axle		
10997	Flip Axle Styles	Open wheels with load bearing tail channel		
11002	Upper Bracket Style	Standard Upper Links (Includes standard round lower pins)		
14671	Tie Downs	(2) D-rings on rear channel		
14759	Flaps, Mud Guards & Fenders	Mudflaps		
14765	Miscellaneous	Wide load sign brackets		

10988-Suspension - TKFA1

Item #	Category	Description	Weight (lbs)	Qty
18812	Suspensions / Axles	Air ride suspension - no ride height control or dump valve		
11007	Suspensions / Axles	27,000 lb (3/4" wall) axle with chain ups		
14757	Suspensions / Axles	Wheel end lube type - Oil		
10989	Axle Spacing	55" axle spacing		

14135	Brakes	16 1/2" x 7" Air Drum Brakes with automatic slack adjusters (for 22.5 wheels)		
18506	Brakes	No ABS		
14138	Hub / Drum	Steel hub piloted, Cast drum, Tapered (D) spindle (per complete axle)		
15051	Wheels (inside)	8.25 x 22.5 10-hole machined (SP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(60)	2
15052	Wheels (outside)	8.25 x 22.5 10-hole polished (XP) aluminum wheel (per wheel) Accuride ILO Std 8.25 x 22.5 10-hole steel disc wheel	(60)	2
16221	Tires	Continental 275/70R22.5 HSR2 - 18 ply (tire only) (per tire) ILO Std Continental 255/70R22.5		4
15775	Suspensions / Axles	TireMaax Pro tire inflation system (1 Axle)		

10988-Electrical - TKFA1

Item #	Category	Description	Weight (lbs)	Qty
14648	Lights / Electrical	Grote LED Lights		
18726	Lights / Electrical	Grote sealed electrical harness system		
15765	Lights / Electrical	Side marker lights and (3) ID lights on tail channel. Light type to match all trailer components		
11014	Lights / Electrical	One pair of 4" round quad flash amber strobes at rear with switch ILO 3rd tail light package		
18230	Lights / Electrical	Center identification lights illuminated for marker lights		

DISCLAIMER
Specifications are believed to be correct, but may contain errors and/or omissions. Photographs are the representative of the subject equipment but may not be identical.
Equipment availability, prices and specifications are subject to change without notice.